





Ergebnis:	546.9	(519)							
Serien:	89.7	89.4	92.7	96.3	89.1	89.7			
Zähler:	14	22	15	7	2	0	0	0	0
Innenzehner:	11								
weiteste:	1052 (48), 1036 (43), 978 (58)								
beste Teiler	16.1 (27.) 41.7 (19.) 59.0 (39.)								
Trefferlage	1.22 mm links, 0.85 mm hoch								
Streuwert	3.58, horizontal: 4.04, vertikal: 3.06								




Serie 1:	9.9 ↗	7.3 ←	8.4 ↙	9.7 ←	9.2 →
	8.7 ↘	10.2 *	8.3 ↘	9.4 ↙	8.6 ↘
beste Teiler	194.0 (7.) 261.3 (1.) 318.6 (4.)				
Trefferlage	2.53 mm links, 0.66 mm hoch				
Streuwert	3.49, horizontal: 3.65, vertikal: 3.32				




Serie 2:	8.1 ←	9.1 ↗	8.6 ↘	8.6 ←	10.0 ↓
	9.2 ←	7.4 ←	8.9 ↘	10.8 *	8.7 ↑
beste Teiler	41.7 (19.) 243.5 (15.) 442.5 (16.)				
Trefferlage	3.22 mm links, 0.65 mm hoch				
Streuwert	3.27, horizontal: 3.77, vertikal: 2.67				




Serie 3:	9.7 ↙	9.3 ↗	9.7 ↑	9.1 ↑	9.4 ↗
	8.3 ←	10.9 *	10.4 *	8.2 ↘	7.7 →
beste Teiler	16.1 (27.) 132.0 (28.) 302.2 (23.)				
Trefferlage	0.29 mm rechts, 1.28 mm hoch				
Streuwert	3.44, horizontal: 4.02, vertikal: 2.73				



Serie 4:	9.3 ↙	9.4 ↑	9.8 ↘	8.8 ↙	9.3 ↘
	9.7 ↗	8.8 ↓	10.2 *	10.7 *	10.3 *
beste Teiler	59.0 (39.) 152.2 (40.) 199.0 (38.)				
Trefferlage	1.24 mm links, 0.11 mm hoch				
Streuwert	2.53, horizontal: 1.52, vertikal: 3.23				





Serie 5:	9.6 ↗	10.1 ↘	6.8 ↗	8.9 ↓	9.5 ↘
	9.5 ↙	7.2 ←	6.7 →	10.6 *	10.2 *
beste Teiler	95.0 (49.) 191.7 (50.) 222.2 (42.)				
Trefferlage	0.84 mm rechts, 0.64 mm tief				
Streuwert	4.52, horizontal: 5.71, vertikal: 2.89				




Serie 6:	10.4 *	7.8 ↘	9.1 ↑	10.0 ↘	8.4 ↑
	9.4 ↘	9.3 ↑	7.0 ↗	10.5 *	7.8 ←
beste Teiler	111.1 (59.) 134.2 (51.) 243.6 (54.)				
Trefferlage	1.51 mm links, 3.03 mm hoch				
Streuwert	3.38, horizontal: 3.82, vertikal: 2.87				

Meyton Elektronik


Ergebnis: **369.5** (355)
 Serien: 85.0 91.9 93.4 99.2
 Zähler: 11 18 8 2 0 1 0 0 0 0
 Innenzehner: 7
 weiteste: 1399 (7), 917 (8), 912 (23)
 beste Teiler 133.2 (5.) 138.2 (18.) 141.5 (22.)
 Trefferlage 0.59 mm links, 1.21 mm tief
 Streuwert 3.43, horizontal: 4.01, vertikal: 2.74




Serie 1:
 8.0 → 9.3 → 8.6 ↘ 8.0 ↖ 10.4 *
 9.4 ↓ 5.4 ↘ 7.3 ← 8.9 ↓ 9.7 ↓
 beste Teiler 133.2 (5.) 306.5 (10.) 379.8 (6.)
 Trefferlage 1.31 mm rechts, 2.10 mm tief
 Streuwert 4.89, horizontal: 6.03, vertikal: 3.38



Serie 2:
 9.6 ↓ 9.1 → 8.6 ↓ 9.2 ↗ 8.5 ←
 9.0 ↖ 9.2 ← 10.4 * 9.5 ↓ 8.8 ←
 beste Teiler 138.2 (18.) 349.7 (11.) 351.8 (19.)
 Trefferlage 1.38 mm links, 0.80 mm tief
 Streuwert 3.22, horizontal: 3.54, vertikal: 2.87





Serie 3:
 10.1 ↓ 10.4 * 7.3 ↘ 8.3 ↖ 10.0 ↓
 9.1 ↙ 9.1 ↖ 10.1 ↓ 9.8 ↘ 9.2 ←
 beste Teiler 141.5 (22.) 220.5 (21.) 221.0 (28.)
 Trefferlage 1.42 mm links, 1.47 mm tief
 Streuwert 3.08, horizontal: 3.40, vertikal: 2.74




Serie 4:
 9.3 ← 10.3 * 9.6 ↓ 9.9 ↗ 10.1 ↖
 9.6 ↙ 10.3 * 10.3 * 9.6 ↘ 10.2 *
 beste Teiler 154.4 (32.) 162.7 (38.) 169.0 (37.)
 Trefferlage 0.90 mm links, 0.48 mm tief
 Streuwert 1.90, horizontal: 1.88, vertikal: 1.92


Ergebnis: **321.6** (304)
 Serien: 80.1 81.4 75.1 85.0
 Zähler: 5 8 10 8 4 3 1 1 0 0
 Innenzehner: 3
 weiteste: 1834 (39), 1601 (7), 1411 (23)
 beste Teiler 54.7 (34.) 137.4 (6.) 191.6 (37.)
 Trefferlage 4.49 mm rechts, 2.21 mm tief
 Streuwert 4.76, horizontal: 5.75, vertikal: 3.49




Serie 1:
 7.5 ↘ 7.6 ↘ 9.0 ← 6.5 → 9.7 →
 10.4 * 4.5 → 7.6 ↓ 8.5 ↘ 8.8 →
 beste Teiler 137.4 (6.) 316.7 (5.) 476.2 (3.)
 Trefferlage 5.19 mm rechts, 2.83 mm tief
 Streuwert 4.38, horizontal: 5.41, vertikal: 3.01



Serie 2:
 10.0 ↘ 8.3 → 8.6 ↗ 7.5 → 6.5 →
 9.3 ← 9.7 ↓ 5.4 → 7.6 → 8.5 ↗
 beste Teiler 248.5 (11.) 313.1 (17.) 414.6 (16.)
 Trefferlage 5.47 mm rechts, 0.05 mm hoch
 Streuwert 4.16, horizontal: 5.22, vertikal: 2.71





Serie 3:
 9.2 ↙ 7.5 ↘ 5.3 ↓ 6.8 ↘ 9.2 ↙
 5.6 → 7.4 ↘ 9.2 ↘ 8.1 → 6.8 ↘
 beste Teiler 427.8 (21.) 437.3 (25.) 449.6 (28.)
 Trefferlage 4.70 mm rechts, 3.89 mm tief
 Streuwert 5.21, horizontal: 5.91, vertikal: 4.40




Serie 4:
 8.6 → 10.1 ↙ 9.4 ↗ 10.7 * 8.3 ↙
 7.8 ↙ 10.2 * 8.3 → 3.6 → 8.0 ↘
 beste Teiler 54.7 (34.) 191.6 (37.) 211.4 (32.)
 Trefferlage 2.62 mm rechts, 2.19 mm tief
 Streuwert 5.20, horizontal: 6.82, vertikal: 2.77


Ergebnis: **389.8** (374)
 Serien: 99.0 93.7 99.5 97.6
 Zähler: 22 12 5 0 1 0 0 0 0 0
 Innenzehner: 16
 weiteste: 1009 (20), 702 (38), 600 (9)
 beste Teiler 44.1 (25.) 87.5 (35.) 110.4 (17.)
 Trefferlage 1.21 mm rechts, 0.03 mm tief
 Streuwert 2.43, horizontal: 3.24, vertikal: 1.15




Serie 1:
 10.4 * 10.4 * 9.9 ↗ 10.1 ↘ 10.3 *
 9.4 → 9.9 ↖ 10.4 * 8.6 → 9.6 →
 beste Teiler 131.5 (2.) 136.6 (8.) 148.2 (1.)
 Trefferlage 1.29 mm rechts, 0.13 mm hoch
 Streuwert 2.02, horizontal: 2.64, vertikal: 1.09



Serie 2:
 10.1 ↗ 9.5 ↗ 8.6 ← 10.1 ↘ 10.1 →
 9.1 ↗ 10.5 * 8.6 → 10.2 * 6.9 →
 beste Teiler 110.4 (17.) 187.4 (19.) 202.2 (14.)
 Trefferlage 2.23 mm rechts, 0.44 mm hoch
 Streuwert 3.09, horizontal: 4.17, vertikal: 1.32





Serie 3:
 10.4 * 9.2 → 10.1 ↖ 10.2 * 10.8 *
 10.2 * 9.0 → 10.3 * 10.1 ↘ 9.2 ←
 beste Teiler 44.1 (25.) 145.1 (21.) 158.7 (28.)
 Trefferlage 0.87 mm rechts, 0.39 mm tief
 Streuwert 1.99, horizontal: 2.68, vertikal: 0.87




Serie 4:
 10.2 * 9.9 ↓ 10.4 * 8.9 ← 10.6 *
 9.2 ← 10.3 * 8.1 → 10.4 * 9.6 →
 beste Teiler 87.5 (35.) 129.7 (39.) 134.0 (33.)
 Trefferlage 0.46 mm rechts, 0.34 mm tief
 Streuwert 2.60, horizontal: 3.45, vertikal: 1.25


Ergebnis: **382.5** (367)
 Serien: 99.8 95.1 96.4 91.2
 Zähler: 19 12 6 3 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 984 (38), 758 (12), 754 (25)
 beste Teiler 42.0 (28.) 47.4 (20.) 47.4 (29.)
 Trefferlage 0.65 mm rechts, 0.24 mm hoch
 Streuwert 2.90, horizontal: 3.67, vertikal: 1.81




Serie 1:
 10.2 * 10.6 * 10.0 ↘ 9.9 → 10.2 *
 10.0 ↓ 10.3 * 10.4 * 9.8 ← 8.4 →
 beste Teiler 84.8 (2.) 139.9 (8.) 162.0 (7.)
 Trefferlage 0.66 mm rechts, 0.23 mm tief
 Streuwert 2.02, horizontal: 2.51, vertikal: 1.35



Serie 2:
 9.5 → 7.9 ← 8.3 ← 10.0 ↘ 10.0 ↙
 9.3 → 9.9 → 10.2 * 9.2 → 10.8 *
 beste Teiler 47.4 (20.) 197.4 (18.) 234.4 (14.)
 Trefferlage 0.18 mm rechts, 0.62 mm tief
 Streuwert 3.06, horizontal: 4.15, vertikal: 1.21





Serie 3:
 10.4 * 9.1 ← 8.4 ← 9.4 ↗ 7.9 →
 10.2 * 9.4 ↗ 10.8 * 10.8 * 10.0 ↑
 beste Teiler 42.0 (28.) 47.4 (29.) 135.0 (21.)
 Trefferlage 0.29 mm rechts, 1.44 mm hoch
 Streuwert 2.76, horizontal: 3.63, vertikal: 1.45




Serie 4:
 8.1 → 9.4 ↘ 10.1 ↘ 9.4 ↗ 8.9 ↘
 8.9 ← 10.3 * 7.0 → 10.1 ↗ 9.0 ←
 beste Teiler 172.7 (37.) 212.8 (39.) 221.8 (33.)
 Trefferlage 1.44 mm rechts, 0.39 mm hoch
 Streuwert 3.66, horizontal: 4.54, vertikal: 2.49


Ergebnis: **584.3** (555)
 Serien: 97.4 94.7 97.0 95.1 99.8 100.3
 Zähler: 24 27 9 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 710 (33), 602 (31), 599 (27)
 beste Teiler 13.4 (1.) 28.4 (50.) 69.1 (55.)
 Trefferlage 0.29 mm links, 1.54 mm hoch
 Streuwert 2.17, horizontal: 2.38, vertikal: 1.94




Serie 1:
 10.9 * 10.1 ← 8.7 ↘ 10.2 * 8.7 ↑
 10.1 ↘ 9.8 ↘ 9.3 ↑ 9.7 ← 9.9 ↑
 beste Teiler 13.4 (1.) 182.4 (4.) 203.7 (6.)
 Trefferlage 1.16 mm links, 1.75 mm hoch
 Streuwert 2.03, horizontal: 1.96, vertikal: 2.09




Serie 2:
 9.1 → 9.8 ← 9.8 ← 9.6 ↓ 9.4 ↗
 8.7 ↗ 9.6 ↘ 9.8 ↗ 10.0 ← 8.9 ↘
 beste Teiler 244.6 (19.) 287.1 (12.) 296.1 (13.)
 Trefferlage 0.64 mm links, 0.71 mm hoch
 Streuwert 2.77, horizontal: 2.97, vertikal: 2.54




Serie 3:
 9.0 ↗ 9.8 ↘ 10.6 * 9.6 ↗ 9.5 ←
 10.4 * 8.6 ↑ 9.4 ↑ 10.3 * 9.8 ↗
 beste Teiler 92.3 (23.) 145.6 (26.) 169.8 (29.)
 Trefferlage 0.37 mm rechts, 1.81 mm hoch
 Streuwert 2.20, horizontal: 2.45, vertikal: 1.93



Serie 4:
 8.5 ↘ 9.2 ↗ 8.1 ↘ 10.5 * 9.5 ↘
 10.3 * 10.0 → 9.7 ← 10.0 ↑ 9.3 ↘
 beste Teiler 123.0 (34.) 151.7 (36.) 228.1 (39.)
 Trefferlage 1.19 mm links, 2.35 mm hoch
 Streuwert 2.26, horizontal: 2.32, vertikal: 2.20





Serie 5:
 10.3 * 9.2 ↗ 8.8 ↗ 9.5 ← 9.9 ↗
 10.2 * 10.5 * 10.1 ↑ 10.5 * 10.8 *
 beste Teiler 28.4 (50.) 111.0 (49.) 118.8 (47.)
 Trefferlage 0.57 mm rechts, 1.57 mm hoch
 Streuwert 1.74, horizontal: 2.07, vertikal: 1.33




Serie 6:
 9.9 ← 10.2 * 10.4 * 10.0 ↑ 10.7 *
 10.6 * 8.7 → 10.4 * 9.6 ↑ 9.8 ↘
 beste Teiler 69.1 (55.) 81.0 (56.) 141.5 (53.)
 Trefferlage 0.29 mm rechts, 1.05 mm hoch
 Streuwert 1.84, horizontal: 2.26, vertikal: 1.30

Meyton Elektronik


Ergebnis:	587.1	(561)							
Serien:	96.4	97.8	98.6	96.7	97.1	100.5			
Zähler:	30	22	7	1	0	0	0	0	0
Innenzehner:	22								
weiteste:	855 (50), 644 (38), 601 (27)								
beste Teiler	44.5 (6.) 60.7 (53.) 80.8 (25.)								
Trefferlage	0.02 mm links, 0.06 mm tief								
Streuwert	2.41, horizontal: 2.42, vertikal: 2.40								




Serie 1:					
	10.4 *	8.8 →	9.9 →	9.4 ↗	9.4 ↗
	10.8 *	9.9 ↓	9.2 ←	9.8 ←	8.8 ←
beste Teiler	44.5 (6.) 148.0 (1.) 271.0 (3.)				
Trefferlage	0.35 mm links, 0.09 mm hoch				
Streuwert	2.71, horizontal: 3.20, vertikal: 2.11				




Serie 2:					
	8.6 ↗	10.1 →	9.9 ↓	10.3 *	10.2 *
	10.0 →	8.8 ↓	10.2 *	9.8 ↘	9.9 ←
beste Teiler	152.6 (14.) 185.5 (18.) 191.8 (15.)				
Trefferlage	0.43 mm rechts, 0.03 mm hoch				
Streuwert	2.40, horizontal: 1.68, vertikal: 2.95				




Serie 3:					
	9.1 ↘	9.3 ↘	10.5 *	10.0 →	10.6 *
	10.1 ↓	8.5 →	10.5 *	9.4 ↓	10.6 *
beste Teiler	80.8 (25.) 96.6 (30.) 109.3 (23.)				
Trefferlage	1.05 mm rechts, 0.40 mm tief				
Streuwert	2.24, horizontal: 2.38, vertikal: 2.09				



Serie 4:					
	10.5 *	10.4 *	9.1 ↙	10.4 *	10.0 ↘
	8.6 ↘	9.5 ↙	8.4 ↓	10.0 ↗	9.8 ←
beste Teiler	112.5 (31.) 130.0 (34.) 133.9 (32.)				
Trefferlage	0.30 mm links, 1.64 mm tief				
Streuwert	2.45, horizontal: 2.56, vertikal: 2.33				





Serie 5:					
	10.5 *	10.2 *	10.2 *	9.6 ←	10.0 →
	9.4 ←	10.6 *	10.0 ←	9.1 ↘	7.5 ↑
beste Teiler	92.1 (47.) 118.0 (41.) 194.3 (42.)				
Trefferlage	1.18 mm links, 0.69 mm hoch				
Streuwert	2.63, horizontal: 2.25, vertikal: 2.96				




Serie 6:					
	9.8 ↑	9.9 →	10.7 *	10.3 *	9.8 ↘
	10.2 *	10.3 *	10.2 *	10.2 *	9.1 →
beste Teiler	60.7 (53.) 156.5 (54.) 169.2 (57.)				
Trefferlage	0.23 mm rechts, 0.84 mm hoch				
Streuwert	1.75, horizontal: 2.14, vertikal: 1.26				

Meyton Elektronik


Ergebnis: **353.7** (338)
 Serien: 87.0 88.1 88.7 89.9
 Zähler: 6 15 12 5 2 0 0 0 0 0
 Innenzehner: 2
 weiteste: 1176 (11), 1072 (4), 980 (36)
 beste Teiler 51.6 (40.) 181.7 (15.) 222.4 (26.)
 Trefferlage 0.54 mm rechts, 0.48 mm tief
 Streuwert 4.15, horizontal: 4.82, vertikal: 3.35




Serie 1:
 9.5 ↓ 8.1 ↗ 8.8 → 6.7 ← 9.7 ↘
 7.8 → 8.5 ↘ 8.6 ↗ 9.8 → 9.5 ↘
 beste Teiler 285.9 (9.) 315.8 (5.) 354.0 (10.)
 Trefferlage 1.27 mm rechts, 0.63 mm hoch
 Streuwert 4.43, horizontal: 5.17, vertikal: 3.55



Serie 2:
 6.2 ↘ 9.1 ← 9.5 → 7.5 ↓ 10.2 *
 8.4 → 8.1 ↓ 9.4 ← 10.0 ↓ 9.7 →
 beste Teiler 181.7 (15.) 250.6 (19.) 303.1 (20.)
 Trefferlage 2.21 mm rechts, 2.07 mm tief
 Streuwert 3.95, horizontal: 4.35, vertikal: 3.49





Serie 3:
 7.3 ← 7.9 ← 10.0 ↓ 9.7 → 9.0 ↘
 10.1 ↘ 9.2 → 8.2 ← 8.3 ↗ 9.0 ↘
 beste Teiler 222.4 (26.) 235.3 (23.) 318.7 (24.)
 Trefferlage 0.64 mm links, 0.45 mm tief
 Streuwert 4.18, horizontal: 5.21, vertikal: 2.79




Serie 4:
 8.1 ↗ 9.2 ↑ 8.8 ↓ 8.5 ← 8.8 →
 7.0 ← 10.0 ↓ 9.2 ↘ 9.6 ← 10.7 *
 beste Teiler 51.6 (40.) 246.0 (37.) 349.2 (39.)
 Trefferlage 0.67 mm links, 0.01 mm tief
 Streuwert 4.03, horizontal: 4.57, vertikal: 3.40

Ergebnis:	548.0	(522)						
Serien:	93.9	87.4	90.7	93.9	90.5	91.6		
Zähler:	14	24	15	4	3	0	0	0
Innenzehner:	10							
weiteste:	1098 (21), 1078 (10), 1005 (11)							
beste Teiler	69.7 (3.) 85.0 (17.) 140.4 (50.)							
Trefferlage	0.50 mm links, 0.39 mm hoch							
Streuwert	3.68, horizontal: 4.68, vertikal: 2.29							




Serie 1:

10.3 *	9.4 ↙	10.7 *	8.8 ↘	10.0 ↑
9.2 →	10.1 ↙	9.5 ↑	9.3 →	6.6 ←
beste Teiler	69.7 (3.) 164.4 (1.) 222.3 (7.)			
Trefferlage	1.46 mm links, 0.21 mm hoch			
Streuwert	3.33, horizontal: 4.21, vertikal: 2.11			




Serie 2:

6.9 ↙	8.6 →	7.4 →	9.1 ↘	9.8 ↘
9.0 ←	10.6 *	8.5 →	8.8 ↘	8.7 →
beste Teiler	85.0 (17.) 286.8 (15.) 466.8 (14.)			
Trefferlage	0.84 mm rechts, 0.24 mm tief			
Streuwert	4.49, horizontal: 5.93, vertikal: 2.25			




Serie 3:

6.6 ←	9.9 ←	7.2 ↘	9.9 ↘	8.9 →
10.2 *	9.7 ←	8.5 ↘	10.2 *	9.6 ↙
beste Teiler	192.8 (29.) 193.2 (26.) 259.1 (24.)			
Trefferlage	1.62 mm links, 0.12 mm hoch			
Streuwert	4.01, horizontal: 5.10, vertikal: 2.48			




Serie 4:

8.8 ←	9.6 ↑	10.2 *	9.1 ↑	8.7 ↘
9.0 →	9.7 →	9.0 ↑	10.0 ↘	9.8 ↑
beste Teiler	193.1 (33.) 242.8 (39.) 285.6 (40.)			
Trefferlage	0.27 mm links, 1.99 mm hoch			
Streuwert	2.67, horizontal: 3.21, vertikal: 2.00			



Serie 5:

9.4 ↑	9.6 →	10.4 *	7.0 →	10.2 *
8.4 →	9.9 ↘	7.1 ↘	8.1 ←	10.4 *
beste Teiler	140.4 (50.) 143.7 (43.) 186.0 (45.)			
Trefferlage	1.43 mm rechts, 0.04 mm hoch			
Streuwert	4.09, horizontal: 5.31, vertikal: 2.29			





Serie 6:


9.0 ←	10.2 *	8.3 ↙	9.1 ←	9.6 ←
9.6 →	10.0 ↘	8.8 ↗	8.3 ←	8.7 ←
beste Teiler	198.2 (52.) 227.0 (57.) 330.8 (55.)			
Trefferlage	1.94 mm links, 0.24 mm hoch			
Streuwert	3.25, horizontal: 3.89, vertikal: 2.43			

Meyton Elektronik


Ergebnis: **340.0** (320)
 Serien: 82.9 85.0 83.0 89.1
 Zähler: 5 13 10 5 5 0 2 0 0 0
 Innenzehner: 5
 weiteste: 1632 (9), 1566 (23), 1195 (24)
 beste Teiler 91.5 (12.) 95.5 (11.) 105.0 (27.)
 Trefferlage 0.15 mm rechts, 0.72 mm tief
 Streuwert 5.12, horizontal: 6.02, vertikal: 4.03




Serie 1:
 8.2 ↘ 9.9 ↖ 8.8 ↑ 9.5 ↙ 6.6 ↗
 8.2 → 9.9 → 8.3 ↓ 4.4 ← 9.1 ↓
 beste Teiler 253.1 (2.) 255.5 (7.) 367.8 (4.)
 Trefferlage 0.86 mm links, 2.11 mm tief
 Streuwert 5.53, horizontal: 6.92, vertikal: 3.64



Serie 2:
 10.6 * 10.6 * 7.6 ↘ 7.7 ← 8.0 ↑
 6.8 ↘ 8.7 ↖ 7.6 → 10.3 * 7.1 ↗
 beste Teiler 91.5 (12.) 95.5 (11.) 152.0 (19.)
 Trefferlage 1.59 mm rechts, 0.89 mm hoch
 Streuwert 5.06, horizontal: 5.43, vertikal: 4.65





Serie 3:
 9.8 ← 8.7 ↘ 4.7 ← 6.2 ↓ 8.1 ←
 6.7 → 10.5 * 9.5 ↑ 9.2 → 9.6 ↓
 beste Teiler 105.0 (27.) 276.7 (21.) 336.9 (30.)
 Trefferlage 0.35 mm links, 1.64 mm tief
 Streuwert 5.80, horizontal: 7.13, vertikal: 4.05




Serie 4:
 9.0 ↑ 6.6 → 7.5 ↓ 9.9 ↑ 9.7 →
 8.9 ↖ 8.1 ← 9.6 ↘ 10.2 * 9.6 ↘
 beste Teiler 178.0 (39.) 265.3 (34.) 315.0 (35.)
 Trefferlage 0.23 mm rechts, 0.01 mm tief
 Streuwert 4.34, horizontal: 5.01, vertikal: 3.54


Ergebnis: **330.3** (310)
 Serien: 79.6 82.3 82.5 85.9
 Zähler: 1 13 11 8 5 1 1 0 0 0
 Innenzehner: 1
 weiteste: 1509 (7), 1468 (23), 1201 (10)
 beste Teiler 162.3 (6.) 275.8 (36.) 285.1 (38.)
 Trefferlage 1.78 mm rechts, 0.15 mm hoch
 Streuwert 5.22, horizontal: 6.49, vertikal: 3.51




Serie 1:
 8.4 ↖ 8.9 ↗ 9.8 ↖ 8.8 → 6.3 →
 10.3 * 4.9 → 9.6 ↖ 6.5 ↘ 6.1 →
 beste Teiler 162.3 (6.) 296.3 (3.) 342.5 (8.)
 Trefferlage 4.38 mm rechts, 0.91 mm hoch
 Streuwert 5.54, horizontal: 7.28, vertikal: 2.88



Serie 2:
 6.6 ↖ 9.3 ↓ 9.2 ↘ 8.3 → 8.6 ↑
 9.3 ← 8.6 → 7.6 ↘ 7.7 → 7.1 ←
 beste Teiler 413.0 (12.) 425.3 (16.) 427.2 (13.)
 Trefferlage 0.51 mm rechts, 0.28 mm tief
 Streuwert 5.32, horizontal: 6.63, vertikal: 3.57





Serie 3:
 7.9 ← 9.4 ↖ 5.1 ↖ 8.9 ↘ 6.3 →
 9.6 ↗ 8.2 ↑ 8.6 ↓ 9.2 → 9.3 ↑
 beste Teiler 326.0 (26.) 377.0 (22.) 404.7 (30.)
 Trefferlage 1.29 mm links, 1.73 mm hoch
 Streuwert 5.42, horizontal: 6.76, vertikal: 3.63




Serie 4:
 8.0 ↓ 7.3 → 9.5 ↓ 8.9 → 7.6 ↘
 9.9 ↑ 7.9 → 9.8 ↘ 9.4 ↙ 7.6 ↘
 beste Teiler 275.8 (36.) 285.1 (38.) 355.4 (33.)
 Trefferlage 3.50 mm rechts, 1.76 mm tief
 Streuwert 3.76, horizontal: 4.10, vertikal: 3.38


Ergebnis:	593.6	(568)
Serien:	96.2 96.3 100.6 101.7 100.6 98.2	
Zähler:	32 24 4 0 0 0 0 0 0	
Innenzehner:	22	
weiteste:	710 (1), 557 (52), 539 (12)	
beste Teiler	67.3 (11.) 70.0 (27.) 76.7 (42.)	
Trefferlage	0.15 mm rechts, 0.19 mm hoch	
Streuwert	2.11, horizontal: 2.06, vertikal: 2.16	




Serie 1:	8.1 ↘	10.1 →	8.9 ↘	9.9 →	10.3 *
	9.6 ↘	9.4 ↖	10.1 ↓	10.4 *	9.4 ↗
beste Teiler	146.7 (9.) 155.9 (5.) 210.0 (2.)				
Trefferlage	1.36 mm rechts, 0.79 mm tief				
Streuwert	2.51, horizontal: 2.57, vertikal: 2.44				




Serie 2:	10.7 *	8.8 ↗	9.3 ↘	9.4 ↙	10.4 *
	9.6 →	9.0 →	9.4 →	10.4 *	9.3 ↙
beste Teiler	67.3 (11.) 132.8 (15.) 142.0 (19.)				
Trefferlage	1.03 mm rechts, 0.14 mm tief				
Streuwert	2.60, horizontal: 2.64, vertikal: 2.56				




Serie 3:	9.7 ↗	10.1 ↖	10.0 ↘	9.6 ↗	10.2 *
	10.1 ↗	10.7 *	9.8 ↗	10.0 ↖	10.4 *
beste Teiler	70.0 (27.) 140.8 (30.) 176.0 (25.)				
Trefferlage	0.16 mm links, 0.61 mm hoch				
Streuwert	1.70, horizontal: 1.43, vertikal: 1.93				



Serie 4:	10.1 ↗	10.3 *	10.2 *	10.1 ↗	10.6 *
	9.7 ↙	10.3 *	9.5 ↖	10.5 *	10.4 *
beste Teiler	81.8 (35.) 119.6 (39.) 139.2 (40.)				
Trefferlage	0.51 mm links, 0.21 mm hoch				
Streuwert	1.51, horizontal: 1.63, vertikal: 1.37				





Serie 5:	9.8 ↖	10.6 *	10.3 *	10.1 ↘	9.8 ↖
	10.4 *	9.7 ↙	10.4 *	9.4 ↑	10.1 ↖
beste Teiler	76.7 (42.) 136.0 (46.) 149.5 (48.)				
Trefferlage	0.63 mm links, 0.38 mm hoch				
Streuwert	1.72, horizontal: 1.37, vertikal: 2.01				




Serie 6:	9.5 ↖	8.7 ↗	10.4 *	10.3 *	10.4 *
	9.3 ↘	9.4 ↘	9.9 ↗	10.5 *	9.8 →
beste Teiler	123.1 (59.) 135.1 (53.) 146.8 (55.)				
Trefferlage	0.17 mm links, 0.88 mm hoch				
Streuwert	2.26, horizontal: 1.97, vertikal: 2.52				

Meyton Elektronik


Ergebnis:	574.6	(549)
Serien:	95.6 93.9 99.6 93.8 96.3 95.4	
Zähler:	20 29 11 0 0 0 0 0 0 0	
Innenzehner:	11	
weiteste:	719 (20), 698 (14), 672 (8)	
beste Teiler	68.0 (26.) 105.7 (21.) 120.7 (60.)	
Trefferlage	1.48 mm rechts, 0.73 mm tief	
Streuwert	2.43, horizontal: 2.76, vertikal: 2.03	




Serie 1:	9.8 ↘	10.3 *	8.9 ↗	9.7 ↑	9.6 ↘
	9.8 ↓	10.0 ↘	8.3 ←	10.1 ↑	9.1 ↘
beste Teiler	173.3 (2.)	204.5 (9.)	241.7 (7.)		
Trefferlage	0.33 mm rechts, 0.33 mm hoch				
Streuwert	2.80, horizontal: 3.10, vertikal: 2.46				




Serie 2:	10.1 ↘	9.8 ←	10.4 *	8.2 ↘	8.5 →
	10.0 ↘	9.9 →	9.8 ↘	9.1 ↘	8.1 →
beste Teiler	148.3 (13.)	219.4 (11.)	243.5 (16.)		
Trefferlage	1.98 mm rechts, 0.16 mm tief				
Streuwert	2.94, horizontal: 3.76, vertikal: 1.77				




Serie 3:	10.5 *	9.7 ↘	10.4 *	10.3 *	9.1 ↓
	10.7 *	9.1 ↘	10.2 *	9.6 →	10.0 ↓
beste Teiler	68.0 (26.)	105.7 (21.)	143.0 (23.)		
Trefferlage	0.51 mm rechts, 1.33 mm tief				
Streuwert	1.79, horizontal: 1.79, vertikal: 1.79				



Serie 4:	10.0 ↘	9.1 →	8.9 →	9.1 ↗	9.1 →
	9.7 →	9.8 ↗	8.7 →	10.2 *	9.2 ↘
beste Teiler	195.5 (39.)	248.6 (31.)	294.5 (37.)		
Trefferlage	2.81 mm rechts, 0.45 mm tief				
Streuwert	2.23, horizontal: 2.37, vertikal: 2.07				





Serie 5:	9.6 ↓	10.1 →	10.1 ↑	9.4 ↗	10.0 ↘
	9.3 ↘	9.9 →	9.7 ↘	9.6 ↘	8.6 ↘
beste Teiler	201.7 (42.)	204.0 (43.)	249.1 (45.)		
Trefferlage	2.11 mm rechts, 0.96 mm tief				
Streuwert	1.96, horizontal: 1.57, vertikal: 2.29				




Serie 6:	9.7 ↘	9.6 ↓	8.7 →	9.1 ↘	8.9 ↗
	10.3 *	9.7 ↘	8.7 →	10.2 *	10.5 *
beste Teiler	120.7 (60.)	163.7 (56.)	198.5 (59.)		
Trefferlage	1.16 mm rechts, 1.82 mm tief				
Streuwert	2.39, horizontal: 3.12, vertikal: 1.31				

Meyton Elektronik


Ergebnis: **389.0** (370)
 Serien: 94.7 97.9 97.5 98.9
 Zähler: 16 18 6 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 652 (28), 640 (1), 562 (13)
 beste Teiler 39.3 (32.) 88.6 (18.) 104.5 (8.)
 Trefferlage 0.31 mm links, 0.33 mm hoch
 Streuwert 2.41, horizontal: 2.60, vertikal: 2.20




Serie 1:
 8.4 → 9.8 → 9.1 ↘ 9.8 → 9.6 ↖
 8.8 ← 8.8 ↓ 10.5 * 9.8 → 10.1 ↘
 beste Teiler 104.5 (8.) 212.3 (10.) 283.3 (9.)
 Trefferlage 0.22 mm rechts, 0.63 mm hoch
 Streuwert 2.96, horizontal: 3.43, vertikal: 2.40



Serie 2:
 9.1 ↘ 10.2 * 8.7 ↑ 9.5 ↗ 10.2 *
 9.7 ↑ 10.0 ↗ 10.6 * 10.1 ↙ 9.8 ↓
 beste Teiler 88.6 (18.) 176.5 (12.) 200.2 (15.)
 Trefferlage 0.35 mm links, 1.53 mm hoch
 Streuwert 2.05, horizontal: 1.52, vertikal: 2.47





Serie 3:
 10.1 ↘ 10.4 * 10.0 ↘ 10.3 * 9.4 ←
 8.8 ← 10.5 * 8.3 ↘ 9.8 ↘ 9.9 ↓
 beste Teiler 108.5 (27.) 149.9 (22.) 155.5 (24.)
 Trefferlage 1.09 mm links, 0.00 mm
 Streuwert 2.41, horizontal: 2.66, vertikal: 2.12




Serie 4:
 9.6 ↖ 10.8 * 9.6 ↓ 9.6 → 9.1 →
 9.8 ↙ 10.3 * 9.9 ↙ 10.1 ← 10.1 →
 beste Teiler 39.3 (32.) 154.2 (37.) 203.7 (39.)
 Trefferlage 0.01 mm links, 0.82 mm tief
 Streuwert 2.04, horizontal: 2.65, vertikal: 1.14


Ergebnis: **389.0** (370)
 Serien: 98.3 97.2 97.4 96.1
 Zähler: 18 16 4 2 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 767 (34), 766 (6), 528 (21)
 beste Teiler 27.8 (8.) 64.5 (2.) 70.3 (3.)
 Trefferlage 1.09 mm links, 0.26 mm hoch
 Streuwert 2.40, horizontal: 2.91, vertikal: 1.75




Serie 1:
 10.1 ↑ 10.7 * 10.7 * 9.5 ↗ 9.6 ↗
 7.9 → 9.4 → 10.8 * 9.3 ↘ 10.3 *
 beste Teiler 27.8 (8.) 64.5 (2.) 70.3 (3.)
 Trefferlage 0.70 mm rechts, 1.29 mm hoch
 Streuwert 2.38, horizontal: 3.05, vertikal: 1.43



Serie 2:
 9.8 ← 10.4 * 9.4 ↗ 10.3 * 9.9 ↘
 10.3 * 8.9 ↙ 8.9 ↘ 10.1 ↘ 9.2 ↙
 beste Teiler 150.2 (12.) 154.2 (14.) 174.7 (16.)
 Trefferlage 0.54 mm links, 0.57 mm tief
 Streuwert 2.45, horizontal: 2.51, vertikal: 2.38





Serie 3:
 8.8 ← 9.5 ↘ 9.8 ← 10.3 * 10.1 →
 10.0 ↗ 10.5 * 9.0 ← 9.1 ← 10.3 *
 beste Teiler 122.0 (27.) 152.8 (24.) 167.7 (30.)
 Trefferlage 1.85 mm links, 0.00 mm
 Streuwert 2.08, horizontal: 2.51, vertikal: 1.53




Serie 4:
 9.3 ← 10.5 * 9.8 ↗ 7.9 ← 10.0 ←
 10.6 * 8.9 ← 9.5 ↘ 10.0 ↘ 9.6 ←
 beste Teiler 88.3 (36.) 120.1 (32.) 227.7 (39.)
 Trefferlage 2.67 mm links, 0.35 mm hoch
 Streuwert 2.07, horizontal: 2.71, vertikal: 1.10


Ergebnis: **372.0** (353)
 Serien: 84.5 94.8 97.3 95.4
 Zähler: 13 15 7 2 3 0 0 0 0 0
 Innenzehner: 10
 weiteste: 1057 (14), 1034 (6), 1012 (9)
 beste Teiler 68.0 (28.) 75.8 (39.) 87.6 (16.)
 Trefferlage 0.48 mm rechts, 0.76 mm hoch
 Streuwert 3.44, horizontal: 3.57, vertikal: 3.31




Serie 1:
 7.6 ↓ 9.4 ↑ 10.1 → 7.8 ↗ 8.2 ↖
 6.8 ↘ 8.8 ↗ 9.8 → 6.9 ↖ 9.1 ↑
 beste Teiler 219.8 (3.) 293.1 (8.) 400.0 (2.)
 Trefferlage 0.90 mm rechts, 1.27 mm hoch
 Streuwert 4.96, horizontal: 4.67, vertikal: 5.23



Serie 2:
 9.7 ↘ 10.2 * 10.1 → 6.7 ↖ 9.5 →
 10.6 * 8.8 ↖ 9.4 ↘ 9.6 ↗ 10.2 *
 beste Teiler 87.6 (16.) 191.8 (12.) 197.3 (20.)
 Trefferlage 0.39 mm links, 0.26 mm hoch
 Streuwert 3.34, horizontal: 3.77, vertikal: 2.85





Serie 3:
 9.8 ↑ 10.5 * 8.1 ↘ 8.8 ↑ 10.2 *
 10.4 * 9.3 ← 10.7 * 9.7 ↓ 9.8 ↘
 beste Teiler 68.0 (28.) 123.0 (22.) 137.0 (26.)
 Trefferlage 0.70 mm rechts, 0.34 mm hoch
 Streuwert 2.63, horizontal: 2.68, vertikal: 2.59




Serie 4:
 8.5 → 9.6 ↗ 10.2 * 9.0 ↖ 10.3 *
 9.2 ↖ 9.1 ↖ 8.7 ↘ 10.7 * 10.1 →
 beste Teiler 75.8 (39.) 156.1 (35.) 194.0 (33.)
 Trefferlage 0.73 mm rechts, 1.16 mm hoch
 Streuwert 2.76, horizontal: 3.31, vertikal: 2.09


Ergebnis: **375.0** (357)
 Serien: 95.0 91.9 97.1 91.0
 Zähler: 9 20 10 1 0 0 0 0 0 0
 Innenzehner: 6
 weiteste: 893 (34), 741 (3), 695 (20)
 beste Teiler 21.4 (25.) 78.1 (2.) 97.4 (9.)
 Trefferlage 0.08 mm rechts, 0.00 mm
 Streuwert 3.15, horizontal: 3.40, vertikal: 2.89




Serie 1:
 9.5 ↘ 10.6 * 8.0 ↖ 9.1 ← 9.9 ↘
 9.1 ↗ 8.4 ↙ 10.2 * 10.6 * 9.6 ↓
 beste Teiler 78.1 (2.) 97.4 (9.) 195.2 (8.)
 Trefferlage 0.61 mm links, 0.66 mm hoch
 Streuwert 3.05, horizontal: 3.21, vertikal: 2.87



Serie 2:
 9.1 → 8.6 ↖ 8.6 ↑ 10.0 ↙ 10.5 *
 10.1 → 9.0 ↑ 9.2 ↑ 8.6 → 8.2 ↖
 beste Teiler 118.3 (15.) 206.4 (16.) 243.7 (14.)
 Trefferlage 0.03 mm links, 2.11 mm hoch
 Streuwert 3.20, horizontal: 3.31, vertikal: 3.09





Serie 3:
 8.9 ↘ 10.4 * 9.4 → 9.5 ↓ 10.9 *
 9.6 ← 9.6 ↖ 9.8 ← 9.8 ↓ 9.2 ↘
 beste Teiler 21.4 (25.) 148.7 (22.) 286.2 (28.)
 Trefferlage 0.12 mm links, 1.48 mm tief
 Streuwert 2.29, horizontal: 2.54, vertikal: 2.02




Serie 4:
 8.9 ↘ 10.1 ↓ 9.0 ← 7.4 → 8.4 ↘
 9.6 ↓ 9.9 ↑ 9.4 ↘ 8.5 ← 9.8 →
 beste Teiler 221.5 (32.) 263.8 (37.) 285.5 (40.)
 Trefferlage 1.11 mm rechts, 1.27 mm tief
 Streuwert 3.54, horizontal: 4.53, vertikal: 2.13


Ergebnis: **386.2** (367)
 Serien: 97.5 94.9 96.6 97.2
 Zähler: 14 20 5 1 0 0 0 0 0 0
 Innenzehner: 8
 weiteste: 831 (11), 713 (29), 688 (9)
 beste Teiler 54.3 (32.) 55.5 (23.) 64.9 (33.)
 Trefferlage 1.13 mm rechts, 0.09 mm hoch
 Streuwert 2.51, horizontal: 3.12, vertikal: 1.69




Serie 1:
 10.3 * 10.1 ↘ 9.7 ↖ 8.7 → 9.5 ↘
 10.6 * 10.4 * 10.0 ↖ 8.2 → 10.0 ↗
 beste Teiler 86.3 (6.) 142.5 (7.) 160.0 (1.)
 Trefferlage 1.41 mm rechts, 0.37 mm tief
 Streuwert 2.39, horizontal: 3.10, vertikal: 1.37



Serie 2:
 7.6 ↘ 10.3 * 10.2 * 9.5 ← 9.7 ←
 9.4 ↘ 9.8 → 9.8 ↘ 9.8 ↘ 8.8 →
 beste Teiler 165.7 (12.) 183.1 (13.) 277.3 (18.)
 Trefferlage 1.01 mm rechts, 0.29 mm tief
 Streuwert 2.94, horizontal: 3.56, vertikal: 2.14





Serie 3:
 9.4 → 9.1 → 10.7 * 10.0 ↗ 9.8 →
 9.7 ↘ 9.8 ↗ 10.1 → 8.1 → 9.9 ↖
 beste Teiler 55.5 (23.) 210.9 (28.) 243.5 (24.)
 Trefferlage 1.62 mm rechts, 0.93 mm hoch
 Streuwert 2.31, horizontal: 3.08, vertikal: 1.07




Serie 4:
 9.9 ↖ 10.7 * 10.7 * 9.4 ↗ 9.5 ←
 9.4 → 10.0 → 9.6 ← 9.7 ↘ 8.3 ↘
 beste Teiler 54.3 (32.) 64.9 (33.) 247.3 (37.)
 Trefferlage 0.48 mm rechts, 0.10 mm hoch
 Streuwert 2.58, horizontal: 3.11, vertikal: 1.90


Ergebnis:	363.9	(345)
Serien:	85.9	92.1 91.8 94.1
Zähler:	7	17 11 4 1 0 0 0 0 0
Innenzehner:	5	
weiteste:	1110 (38), 882 (4), 771 (22)	
beste Teiler	50.4 (33.) 130.2 (11.) 131.0 (29.)	
Trefferlage	1.12 mm links, 1.65 mm hoch	
Streuwert	3.40, horizontal: 3.96, vertikal: 2.73	




Serie 1:	8.4 ↗	9.2 ↘	8.5 ↘	7.4 ←	8.8 ↗
	7.9 ↖	8.0 ↘	9.6 ↘	8.7 ↖	9.4 ↗
beste Teiler	330.5 (8.) 392.9 (10.) 431.4 (2.)				
Trefferlage	1.46 mm links, 2.29 mm hoch				
Streuwert	4.06, horizontal: 4.71, vertikal: 3.28				



Serie 2:	10.4 *	9.8 ↘	8.1 ↗	10.3 *	8.0 ↘
	9.2 ↘	9.0 ↗	9.7 ←	9.7 ↗	7.9 ↗
beste Teiler	130.2 (11.) 152.0 (14.) 285.1 (12.)				
Trefferlage	0.84 mm links, 2.75 mm hoch				
Streuwert	2.94, horizontal: 3.46, vertikal: 2.30				





Serie 3:	9.6 →	7.9 ↖	9.1 ↗	8.7 ↖	9.6 ↘
	8.9 →	9.9 ↖	9.0 ↘	10.4 *	8.7 →
beste Teiler	131.0 (29.) 257.3 (27.) 328.6 (25.)				
Trefferlage	0.77 mm links, 1.56 mm hoch				
Streuwert	3.28, horizontal: 4.23, vertikal: 1.91				




Serie 4:	9.5 ↘	10.2 *	10.8 *	9.2 ↘	9.9 ↓
	10.0 ↗	9.1 ↖	6.5 ↖	8.8 →	10.1 ↖
beste Teiler	50.4 (33.) 188.2 (32.) 211.3 (40.)				
Trefferlage	1.41 mm links, 0.01 mm hoch				
Streuwert	3.39, horizontal: 3.91, vertikal: 2.77				


Ergebnis: **388.2** (369)
 Serien: 95.9 96.2 98.8 97.3
 Zähler: 13 23 4 0 0 0 0 0 0 0
 Innenzehner: 9
 weiteste: 692 (16), 574 (17), 552 (1)
 beste Teiler 23.3 (12.) 29.7 (23.) 68.9 (24.)
 Trefferlage 0.00 mm , 0.61 mm hoch
 Streuwert 2.45, horizontal: 2.83, vertikal: 2.00




Serie 1:
 8.7 ← 9.0 → 10.5 * 9.4 ↘ 9.3 ↘
 10.0 ← 9.4 ↘ 9.2 → 9.9 ↙ 10.5 *
 beste Teiler 116.0 (10.) 122.2 (3.) 247.2 (6.)
 Trefferlage 0.38 mm links, 0.26 mm hoch
 Streuwert 2.74, horizontal: 3.40, vertikal: 1.87



Serie 2:
 9.7 ↘ 10.9 * 10.2 * 9.4 ↘ 10.6 *
 8.2 ↓ 8.7 → 10.0 ← 9.0 ↘ 9.5 ↑
 beste Teiler 23.3 (12.) 96.5 (15.) 197.6 (13.)
 Trefferlage 0.21 mm links, 0.41 mm hoch
 Streuwert 2.90, horizontal: 3.19, vertikal: 2.58





Serie 3:
 10.2 * 9.2 ↗ 10.8 * 10.7 * 9.7 ↘
 9.9 ↘ 9.8 ↓ 9.2 ↗ 9.5 → 9.8 ↓
 beste Teiler 29.7 (23.) 68.9 (24.) 181.7 (21.)
 Trefferlage 0.76 mm rechts, 0.59 mm hoch
 Streuwert 2.09, horizontal: 2.03, vertikal: 2.16




Serie 4:
 10.0 ↘ 8.9 → 9.3 ↘ 9.7 ← 10.1 ←
 9.7 ↘ 10.5 * 9.8 ↑ 9.5 ↗ 9.8 ↘
 beste Teiler 109.2 (37.) 206.9 (35.) 226.6 (31.)
 Trefferlage 0.17 mm links, 1.17 mm hoch
 Streuwert 2.23, horizontal: 2.81, vertikal: 1.43


Ergebnis: **575.4** (547)
 Serien: 95.8 94.9 96.4 97.0 95.1 96.2
 Zähler: 24 23 9 4 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 810 (42), 781 (23), 759 (33)
 beste Teiler 26.6 (39.) 45.8 (3.) 49.2 (25.)
 Trefferlage 0.07 mm rechts, 0.13 mm hoch
 Streuwert 2.85, horizontal: 3.22, vertikal: 2.42




Serie 1:
 9.5 ↗ 8.2 ← 10.8 * 9.1 ↗ 8.9 ←
 10.1 ↘ 9.5 ↓ 10.5 * 9.7 ↙ 9.5 →
 beste Teiler 45.8 (3.) 117.8 (8.) 203.2 (6.)
 Trefferlage 1.01 mm links, 0.10 mm hoch
 Streuwert 2.80, horizontal: 3.17, vertikal: 2.37




Serie 2:
 9.9 ↑ 8.6 ↖ 9.4 → 10.4 * 8.3 ←
 9.0 ↗ 10.4 * 7.9 ↘ 10.7 * 10.3 *
 beste Teiler 66.2 (19.) 128.8 (17.) 148.6 (14.)
 Trefferlage 0.23 mm rechts, 0.87 mm hoch
 Streuwert 3.21, horizontal: 3.55, vertikal: 2.81




Serie 3:
 9.3 ↘ 10.7 * 7.8 ↘ 8.7 ↗ 10.8 *
 10.2 * 9.5 ↗ 9.3 → 9.8 ↖ 10.3 *
 beste Teiler 49.2 (25.) 56.0 (22.) 162.2 (30.)
 Trefferlage 1.63 mm rechts, 0.11 mm tief
 Streuwert 2.68, horizontal: 2.62, vertikal: 2.73



Serie 4:
 10.2 * 9.7 → 7.9 ↘ 10.7 * 10.1 →
 10.4 * 8.5 ← 9.0 → 10.8 * 9.7 ↘
 beste Teiler 26.6 (39.) 66.7 (34.) 134.0 (36.)
 Trefferlage 1.02 mm rechts, 0.35 mm hoch
 Streuwert 2.77, horizontal: 3.65, vertikal: 1.41





Serie 5:
 10.3 * 7.7 ↘ 8.6 ← 10.0 ↘ 9.5 ↑
 9.5 ↓ 8.8 ↙ 10.4 * 10.5 * 9.8 ←
 beste Teiler 110.0 (49.) 147.8 (48.) 156.7 (41.)
 Trefferlage 1.84 mm links, 0.61 mm hoch
 Streuwert 2.75, horizontal: 2.77, vertikal: 2.72




Serie 6:
 8.3 ↘ 10.5 * 10.1 ↑ 10.2 * 9.5 ↙
 10.3 * 9.6 ↘ 9.4 ↓ 9.1 ↘ 9.2 →
 beste Teiler 115.2 (52.) 166.9 (56.) 191.4 (54.)
 Trefferlage 0.43 mm rechts, 1.04 mm tief
 Streuwert 2.61, horizontal: 2.83, vertikal: 2.38

Meyton Elektronik


Ergebnis:	564.8	(538)
Serien:	89.9 93.4 94.9 99.2 91.4 96.0	
Zähler:	17 32 6 3 1 1 0 0 0 0	
Innenzehner:	12	
weiteste:	1420 (41), 1170 (9), 929 (19)	
beste Teiler	29.9 (38.) 40.2 (31.) 74.2 (2.)	
Trefferlage	0.74 mm links, 0.80 mm tief	
Streuwert	3.20, horizontal: 3.56, vertikal: 2.78	




Serie 1:	7.7 ↘	10.7 *	10.3 *	9.7 ←	10.0 ↓
	9.5 ↘	8.2 ↘	8.0 ←	6.3 ↘	9.5 ←
beste Teiler	74.2 (2.) 153.1 (3.) 230.7 (5.)				
Trefferlage	0.64 mm rechts, 2.83 mm tief				
Streuwert	3.84, horizontal: 4.44, vertikal: 3.13				




Serie 2:	10.2 *	9.8 ↘	8.7 →	9.1 ←	9.9 ↓
	10.7 *	8.8 ↙	9.8 ↘	7.2 ←	9.2 ↘
beste Teiler	75.4 (16.) 182.3 (11.) 274.8 (15.)				
Trefferlage	0.83 mm links, 1.58 mm tief				
Streuwert	3.22, horizontal: 4.05, vertikal: 2.07				




Serie 3:	10.0 ↗	7.9 ↓	9.3 ←	9.2 ↘	10.5 *
	10.4 *	9.6 ↙	9.6 ↙	9.2 ←	9.2 ↓
beste Teiler	117.0 (25.) 131.1 (26.) 235.4 (21.)				
Trefferlage	1.31 mm links, 1.55 mm tief				
Streuwert	2.61, horizontal: 2.10, vertikal: 3.04				



Serie 4:	10.8 *	10.4 *	10.5 *	9.3 ←	10.0 ←
	9.7 ↘	9.4 ↓	10.8 *	10.1 ↓	8.2 ←
beste Teiler	29.9 (38.) 40.2 (31.) 119.6 (33.)				
Trefferlage	1.40 mm links, 0.65 mm tief				
Streuwert	2.09, horizontal: 2.43, vertikal: 1.69				



Serie 5:	5.3 ←	9.5 ↙	9.5 ←	9.6 →	9.7 ↓
	9.8 →	9.1 ↘	9.6 ↑	9.5 ↑	9.8 ↓
beste Teiler	291.4 (50.) 299.7 (46.) 317.0 (45.)				
Trefferlage	0.79 mm links, 0.57 mm tief				
Streuwert	4.10, horizontal: 5.20, vertikal: 2.58				



Serie 6:	9.5 ↘	9.9 ↘	10.0 ↑	8.8 ↘	10.2 *
	9.2 ↑	10.4 *	9.5 ↘	9.0 →	9.5 ↘
beste Teiler	130.1 (57.) 180.5 (55.) 248.2 (53.)				
Trefferlage	0.77 mm links, 2.35 mm hoch				
Streuwert	1.93, horizontal: 2.59, vertikal: 0.84				

Meyton Elektronik

Ergebnis: **574.2** (547)

Serien: 95.0 93.9 100.1 95.5 93.4 96.3

Zähler: 18 33 7 2 0 0 0 0 0 0



Innenzehner: 14

weiteste: 804 (40), 788 (11), 714 (43)

beste Teiler 81.3 (54.) 91.0 (24.) 107.6 (29.)

Trefferlage 1.00 mm rechts, 0.36 mm hoch

Streuwert 2.63, horizontal: 3.16, vertikal: 1.96




Serie 1:

10.3 *	9.5 →	9.7 ↘	8.6 →	9.1 ↖
9.6 →	9.9 ↗	9.5 →	8.6 →	10.2 *

beste Teiler 151.6 (1.) 193.4 (10.) 271.7 (7.)

Trefferlage 2.33 mm rechts, 0.58 mm hoch

Streuwert 2.28, horizontal: 2.67, vertikal: 1.81




Serie 2:

7.8 →	10.3 *	9.1 ←	9.8 →	10.4 *
9.5 ↘	9.2 ↘	9.1 ↘	9.2 ↖	9.5 →

beste Teiler 147.9 (15.) 160.0 (12.) 299.2 (14.)

Trefferlage 1.68 mm rechts, 0.21 mm tief

Streuwert 2.93, horizontal: 3.85, vertikal: 1.52




Serie 3:

9.8 ↗	10.5 *	10.0 ↑	10.6 *	9.0 ↗
9.6 ↖	10.2 *	9.5 ↘	10.5 *	10.4 *

beste Teiler 91.0 (24.) 107.6 (29.) 114.4 (22.)

Trefferlage 0.64 mm rechts, 0.93 mm hoch

Streuwert 1.78, horizontal: 1.84, vertikal: 1.71




Serie 4:

9.6 ↖	9.9 ←	10.3 *	10.2 *	10.2 *
10.5 *	8.8 →	9.6 →	8.7 →	7.7 ↖

beste Teiler 119.8 (36.) 159.4 (33.) 178.9 (35.)

Trefferlage 0.08 mm rechts, 0.07 mm hoch

Streuwert 3.03, horizontal: 3.94, vertikal: 1.68




Serie 5:

9.9 →	9.5 ↓	8.1 ↗	10.0 ↓	9.3 ←
9.5 →	9.1 ←	10.1 ↘	9.5 ↗	8.4 →

beste Teiler 211.4 (48.) 226.0 (44.) 273.3 (41.)

Trefferlage 1.13 mm rechts, 0.13 mm hoch

Streuwert 3.10, horizontal: 3.82, vertikal: 2.16



Serie 6:

8.5 ↖	9.8 ↓	9.6 →	10.6 *	9.3 ↗
9.6 ↓	10.1 ↑	9.6 ←	9.3 →	9.9 ↗



beste Teiler 81.3 (54.) 217.5 (57.) 253.0 (60.)

Trefferlage 0.14 mm rechts, 0.66 mm hoch


Streuwert 2.62, horizontal: 2.37, vertikal: 2.86

Meyton Elektronik


Ergebnis:	551.0	(526)
Serien:	90.8 88.6 89.6 97.7 91.6 92.7	
Zähler:	12 28 14 6 0 0 0 0 0 0	
Innenzehner:	8	
weiteste:	898 (7), 846 (30), 823 (5)	
beste Teiler	38.4 (1.) 49.5 (22.) 72.9 (31.)	
Trefferlage	0.78 mm links, 2.01 mm hoch	
Streuwert	3.16, horizontal: 3.67, vertikal: 2.54	




Serie 1:	10.8 *	10.1 ↑	10.0 ↑	8.4 ←	7.7 ←
	9.0 ↗	7.4 ↖	8.1 ←	10.3 *	9.0 ↘
beste Teiler	38.4 (1.)	167.2 (9.)	205.6 (2.)		
Trefferlage	3.41 mm links, 1.40 mm hoch				
Streuwert	3.02, horizontal: 3.86, vertikal: 1.82				




Serie 2:	9.2 ↑	8.1 ↘	10.4 *	8.1 ↖	7.7 ←
	7.8 ↘	9.6 ↘	9.1 ↗	10.1 ↑	8.5 ↗
beste Teiler	137.7 (13.)	212.8 (19.)	328.0 (17.)		
Trefferlage	1.97 mm links, 3.22 mm hoch				
Streuwert	3.15, horizontal: 4.18, vertikal: 1.54				




Serie 3:	9.4 ↑	10.8 *	8.9 ↘	9.0 ↑	8.5 ↘
	8.3 ↗	9.7 ↑	8.6 ↘	8.8 →	7.6 ↑
beste Teiler	49.5 (22.)	309.2 (27.)	395.5 (21.)		
Trefferlage	0.05 mm rechts, 4.16 mm hoch				
Streuwert	2.55, horizontal: 2.75, vertikal: 2.33				



Serie 4:	10.7 *	9.6 ↗	9.3 ↖	10.4 *	9.1 ←
	10.6 *	9.6 ↖	9.0 ↗	10.1 →	9.3 →
beste Teiler	72.9 (31.)	100.2 (36.)	142.8 (34.)		
Trefferlage	0.15 mm links, 0.83 mm hoch				
Streuwert	2.42, horizontal: 3.04, vertikal: 1.57				





Serie 5:	9.4 ↓	9.9 →	9.5 ↘	8.2 →	9.6 ↖
	8.7 ←	9.0 ↓	9.5 ↑	9.4 ↗	8.4 ↗
beste Teiler	270.3 (42.)	332.3 (45.)	360.1 (48.)		
Trefferlage	0.45 mm rechts, 0.79 mm hoch				
Streuwert	3.39, horizontal: 3.59, vertikal: 3.19				




Serie 6:	8.1 →	9.8 ↘	7.7 ↘	9.0 ↓	9.8 ↑
	10.3 *	9.8 →	9.1 ↘	9.9 ↖	9.2 ↗
beste Teiler	174.6 (56.)	272.8 (59.)	281.0 (55.)		
Trefferlage	0.34 mm rechts, 1.63 mm hoch				
Streuwert	3.24, horizontal: 3.58, vertikal: 2.85				

Meyton Elektronik


Ergebnis: **389.4** (373)
 Serien: 100.4 97.1 94.7 97.2
 Zähler: 18 17 5 0 0 0 0 0 0 0
 Innenzehner: 12
 weiteste: 679 (31), 644 (28), 570 (12)
 beste Teiler 25.0 (9.) 95.5 (30.) 128.5 (36.)
 Trefferlage 0.06 mm rechts, 0.21 mm tief
 Streuwert 2.44, horizontal: 2.69, vertikal: 2.15




Serie 1:
 9.3 ↘ 10.3 * 10.3 * 10.0 ↖ 9.3 ↖
 10.2 * 9.8 ↖ 9.9 ↗ 10.9 * 10.4 *
 beste Teiler 25.0 (9.) 140.9 (10.) 156.5 (3.)
 Trefferlage 0.83 mm links, 0.06 mm tief
 Streuwert 1.79, horizontal: 1.76, vertikal: 1.82



Serie 2:
 10.1 ↘ 8.7 → 8.8 → 9.6 → 10.1 ↗
 10.2 * 9.5 ↗ 10.0 ← 10.4 * 9.7 →
 beste Teiler 150.6 (19.) 200.0 (16.) 205.3 (11.)
 Trefferlage 1.50 mm rechts, 0.53 mm tief
 Streuwert 2.27, horizontal: 2.92, vertikal: 1.34





Serie 3:
 10.2 * 9.5 ↖ 9.3 ← 8.8 ↘ 9.5 ←
 9.2 ↘ 9.7 ↖ 8.4 ← 9.5 ↘ 10.6 *
 beste Teiler 95.5 (30.) 182.4 (21.) 319.5 (27.)
 Trefferlage 1.13 mm links, 1.10 mm tief
 Streuwert 2.79, horizontal: 3.09, vertikal: 2.44




Serie 4:
 8.2 ↑ 9.3 → 10.3 * 10.1 ← 10.1 ↖
 10.4 * 9.6 ↓ 10.2 * 9.3 → 9.7 ↑
 beste Teiler 128.5 (36.) 162.3 (33.) 198.0 (38.)
 Trefferlage 0.71 mm rechts, 0.83 mm hoch
 Streuwert 2.42, horizontal: 2.22, vertikal: 2.60


Ergebnis:	392.8	(377)
Serien:	99.4	96.2 99.3 97.9
Zähler:	18	21 1 0 0 0 0 0 0 0
Innenzehner:	12	
weiteste:	583 (17), 492 (19), 482 (9)	
beste Teiler	31.1 (31.)	34.4 (15.) 68.8 (4.)
Trefferlage	0.46 mm links, 0.09 mm hoch	
Streuwert	2.23, horizontal: 2.65, vertikal: 1.70	




Serie 1:	10.3 *	9.4 ↘	10.1 →	10.7 *	9.9 ↑
	9.7 ↙	10.3 *	10.0 ↘	9.0 ↘	10.0 ↓
beste Teiler	68.8 (4.) 154.2 (7.) 158.6 (1.)				
Trefferlage	0.42 mm rechts, 0.68 mm tief				
Streuwert	2.00, horizontal: 2.04, vertikal: 1.97				



Serie 2:	9.5 ↖	9.3 ↖	10.6 *	9.7 →	10.8 *
	10.1 ↓	8.6 ↖	9.2 ↖	9.0 ↖	9.4 ↖
beste Teiler	34.4 (15.) 94.0 (13.) 210.2 (16.)				
Trefferlage	1.91 mm links, 1.13 mm hoch				
Streuwert	2.20, horizontal: 2.74, vertikal: 1.49				



Serie 3:	10.3 *	9.1 ↖	9.8 →	10.0 ←	9.8 ↖
	9.5 ←	10.3 *	10.0 ↖	10.3 *	10.2 *
beste Teiler	164.1 (21.) 164.9 (29.) 173.6 (27.)				
Trefferlage	0.85 mm links, 0.62 mm hoch				
Streuwert	1.86, horizontal: 2.28, vertikal: 1.32				



Serie 4:	10.8 *	10.4 *	10.7 *	9.1 ↘	9.7 ↙
	9.4 →	9.5 ←	9.7 ↗	9.4 ←	9.2 →
beste Teiler	31.1 (31.) 74.4 (33.) 150.0 (32.)				
Trefferlage	0.47 mm rechts, 0.69 mm tief				
Streuwert	2.34, horizontal: 3.03, vertikal: 1.34				

Ergebnis: **565.8** (538)

Serien: 95.2 96.1 96.4 90.8 93.2 94.1

Zähler: 17 27 13 3 0 0 0 0 0 0



Innenzehner: 12

weiteste: 880 (36), 841 (60), 776 (48)

beste Teiler 14.0 (23.) 19.0 (47.) 19.1 (3.)

Trefferlage 1.11 mm rechts, 0.34 mm tief

Streuwert 2.94, horizontal: 3.11, vertikal: 2.75




Serie 1:

9.5 ↘	8.9 ↑	10.9 *	9.1 ↖	9.4 ↑
10.1 ↖	9.3 ←	8.4 →	10.2 *	9.4 ↘

beste Teiler 19.1 (3.) 199.2 (9.) 201.6 (6.)

Trefferlage 0.59 mm rechts, 0.77 mm hoch

Streuwert 2.84, horizontal: 3.04, vertikal: 2.63




Serie 2:

10.2 *	9.7 ↖	8.9 →	9.8 ↗	10.1 ↓
8.9 ↘	10.2 *	9.2 ↖	9.5 →	9.6 ↖

beste Teiler 193.8 (17.) 197.2 (11.) 222.3 (15.)

Trefferlage 1.21 mm rechts, 0.63 mm hoch

Streuwert 2.47, horizontal: 2.51, vertikal: 2.42




Serie 3:

8.4 →	8.2 ↘	10.9 *	9.5 ↓	9.6 →
9.9 →	10.1 ↘	9.3 ↘	10.1 ↖	10.4 *

beste Teiler 14.0 (23.) 143.7 (30.) 223.3 (27.)

Trefferlage 2.18 mm rechts, 0.87 mm tief

Streuwert 2.31, horizontal: 2.88, vertikal: 1.52




Serie 4:

8.8 ←	8.5 →	8.6 ↓	9.2 ↘	9.8 ↑
7.4 ↓	9.4 ↑	9.5 ↘	10.4 *	9.2 ↘

beste Teiler 133.1 (39.) 292.6 (35.) 353.1 (38.)

Trefferlage 1.72 mm rechts, 1.51 mm tief

Streuwert 3.35, horizontal: 3.01, vertikal: 3.65




Serie 5:

10.2 *	9.0 ↓	9.5 →	9.6 ↓	10.1 ↑
8.5 ↗	10.9 *	7.8 ←	8.3 →	9.3 ↗

beste Teiler 19.0 (47.) 192.5 (41.) 207.2 (45.)

Trefferlage 0.33 mm links, 1.15 mm tief

Streuwert 3.33, horizontal: 3.98, vertikal: 2.53



Serie 6:

8.8 ↗	9.5 ↗	9.2 ←	8.9 ↘	9.2 ↗
10.3 *	10.3 *	9.6 ↓	10.7 *	7.6 ↗



beste Teiler 57.9 (59.) 160.3 (56.) 174.4 (57.)

Trefferlage 1.33 mm rechts, 0.06 mm hoch


Streuwert 3.15, horizontal: 3.20, vertikal: 3.09

Meyton Elektronik


Ergebnis:	389.4	(373)
Serien:	99.9 95.9 96.4 97.2	
Zähler:	17 20 2 1 0 0 0 0 0 0	
Innenzehner:	12	
weiteste:	906 (22), 537 (34), 502 (20)	
beste Teiler	51.0 (37.) 76.5 (10.) 80.1 (28.)	
Trefferlage	0.14 mm rechts, 0.45 mm tief	
Streuwert	2.45, horizontal: 2.90, vertikal: 1.90	




Serie 1:	9.5 ↘	10.2 *	9.1 ↗	10.3 *	10.1 ↖
	10.1 ↙	9.4 →	10.4 *	10.2 *	10.6 *
beste Teiler	76.5 (10.) 136.8 (8.) 159.6 (4.)				
Trefferlage	1.23 mm rechts, 0.13 mm hoch				
Streuwert	1.75, horizontal: 2.21, vertikal: 1.11				



Serie 2:	9.3 ↗	9.8 ←	9.1 →	9.4 ↖	9.5 ↗
	10.1 →	10.2 *	9.6 ↘	10.0 ↓	8.9 ↗
beste Teiler	180.1 (17.) 214.0 (16.) 230.3 (19.)				
Trefferlage	0.33 mm rechts, 0.43 mm hoch				
Streuwert	2.61, horizontal: 3.13, vertikal: 1.95				





Serie 3:	9.1 ↘	7.3 ←	10.6 *	9.7 ↓	9.1 ↓
	10.6 *	9.9 ↓	10.6 *	9.9 →	9.6 ↖
beste Teiler	80.1 (28.) 84.8 (26.) 88.5 (23.)				
Trefferlage	0.76 mm links, 1.34 mm tief				
Streuwert	2.76, horizontal: 3.40, vertikal: 1.92				




Serie 4:	9.0 ↘	10.0 ↖	10.5 *	8.8 ↖	9.3 ↖
	9.1 ↙	10.7 *	9.8 ↗	10.2 *	9.8 ↓
beste Teiler	51.0 (37.) 106.0 (33.) 185.2 (39.)				
Trefferlage	0.22 mm links, 1.05 mm tief				
Streuwert	2.46, horizontal: 2.78, vertikal: 2.09				


Ergebnis:	582.9	(554)							
Serien:	96.0	97.5	96.0	98.6	98.4	96.4			
Zähler:	24	27	8	1	0	0	0	0	0
Innenzehner:	17								
weiteste:	811	(36),	744	(4),	686	(24)			
beste Teiler	36.7	(15.)	39.6	(33.)	84.0	(8.)			
Trefferlage	1.00 mm	links,	0.59 mm	hoch					
Streuwert	2.40,	horizontal:	2.59,	vertikal:	2.18				




Serie 1:	9.8 ↘	9.7 ↘	9.5 ↖	8.0 ←	8.9 ↗
	10.0 ↙	10.3 *	10.6 *	10.6 *	8.6 ↖
beste Teiler	84.0 (8.) 87.3 (9.) 172.0 (7.)				
Trefferlage	1.36 mm links, 0.57 mm hoch				
Streuwert	2.75, horizontal: 3.07, vertikal: 2.39				




Serie 2:	8.9 ↖	10.1 →	10.6 *	8.4 ↗	10.8 *
	10.1 ↑	8.3 ←	10.2 *	9.8 ↙	10.3 *
beste Teiler	36.7 (15.) 92.0 (13.) 170.1 (20.)				
Trefferlage	1.40 mm links, 0.95 mm hoch				
Streuwert	2.43, horizontal: 2.73, vertikal: 2.09				




Serie 3:	9.5 ↓	8.7 ↗	9.2 ↑	8.2 ↖	10.3 *
	9.9 ←	10.2 *	10.2 *	9.9 ↙	9.9 →
beste Teiler	174.1 (25.) 193.0 (27.) 194.1 (28.)				
Trefferlage	1.56 mm links, 0.58 mm hoch				
Streuwert	2.53, horizontal: 2.25, vertikal: 2.79				



Serie 4:	10.1 ↗	9.7 ↙	10.8 *	10.4 *	9.0 ↖
	7.7 ↖	10.3 *	10.3 *	9.8 ↗	10.5 *
beste Teiler	39.6 (33.) 120.1 (40.) 144.3 (34.)				
Trefferlage	1.08 mm links, 1.49 mm hoch				
Streuwert	2.21, horizontal: 2.76, vertikal: 1.47				





Serie 5:	10.5 *	9.6 ←	9.7 ↗	9.3 ↗	10.1 ↖
	9.9 →	9.7 ←	10.1 ←	9.9 ↖	9.6 ↑
beste Teiler	117.4 (41.) 204.3 (45.) 212.9 (48.)				
Trefferlage	0.49 mm links, 0.75 mm hoch				
Streuwert	2.04, horizontal: 2.28, vertikal: 1.77				




Serie 6:	9.3 ↖	9.5 ↘	10.4 *	9.3 ↙	9.1 ↘
	9.8 ↑	10.1 ↙	9.3 →	9.7 ↙	9.9 ←
beste Teiler	145.3 (53.) 215.6 (57.) 256.3 (60.)				
Trefferlage	0.09 mm links, 0.77 mm tief				
Streuwert	2.49, horizontal: 2.75, vertikal: 2.20				

Meyton Elektronik


Ergebnis:	550.1	(523)
Serien:	93.4 95.5 86.7 93.5 91.6 89.4	
Zähler:	16 23 13 4 4 0 0 0 0 0	
Innenzehner:	9	
weiteste:	1174 (25), 1174 (26), 1089 (56)	
beste Teiler	14.5 (48.) 67.1 (40.) 105.1 (16.)	
Trefferlage	0.70 mm links, 0.85 mm hoch	
Streuwert	3.64, horizontal: 4.27, vertikal: 2.88	




Serie 1:	10.1 ↓	8.2 ↖	9.2 ←	9.4 ↑	9.6 ↑
	8.9 ↙	9.6 ↗	9.8 ↗	10.2 *	8.4 ←
beste Teiler	200.9 (9.)	204.0 (1.)	284.6 (8.)		
Trefferlage	1.00 mm links, 1.27 mm hoch				
Streuwert	3.00, horizontal: 3.08, vertikal: 2.92				




Serie 2:	10.0 ↑	9.4 ↓	9.0 ↑	9.9 ↙	10.4 *
	10.5 *	10.0 ↑	10.1 ↘	7.5 ↓	8.7 ↑
beste Teiler	105.1 (16.)	139.0 (15.)	205.5 (18.)		
Trefferlage	0.48 mm links, 0.17 mm hoch				
Streuwert	3.04, horizontal: 1.71, vertikal: 3.95				




Serie 3:	9.8 →	9.3 ↖	8.7 ↖	9.1 ↗	6.3 ↗
	6.3 ←	9.9 ↖	7.9 ↗	9.2 ↘	10.2 *
beste Teiler	195.7 (30.)	251.7 (27.)	285.4 (21.)		
Trefferlage	0.04 mm rechts, 2.09 mm hoch				
Streuwert	4.71, horizontal: 5.89, vertikal: 3.11				



Serie 4:	9.9 ←	9.3 ↖	8.2 ↗	9.3 ↓	8.7 ←
	8.3 ←	10.0 ↗	9.5 ↖	9.6 ↖	10.7 *
beste Teiler	67.1 (40.)	244.0 (37.)	271.8 (31.)		
Trefferlage	1.72 mm links, 0.50 mm hoch				
Streuwert	3.00, horizontal: 3.71, vertikal: 2.06				





Serie 5:	9.9 ↗	9.0 ↙	8.3 ↙	9.4 →	9.3 ↖
	9.8 →	7.2 ↘	10.9 *	8.9 ↖	8.9 ↑
beste Teiler	14.5 (48.)	251.7 (41.)	279.4 (46.)		
Trefferlage	0.33 mm rechts, 0.20 mm hoch				
Streuwert	3.74, horizontal: 3.96, vertikal: 3.50				




Serie 6:	8.5 →	7.6 ←	8.8 ↖	10.1 ↖	10.2 *
	6.6 ←	6.6 →	10.4 *	10.5 *	10.1 ←
beste Teiler	105.4 (59.)	130.9 (58.)	199.8 (55.)		
Trefferlage	1.42 mm links, 0.84 mm hoch				
Streuwert	4.48, horizontal: 6.25, vertikal: 1.09				

Meyton Elektronik


Ergebnis:	580.0	(552)
Serien:	96.8 95.2 99.9 93.7 98.9 95.5	
Zähler:	25 24 9 2 0 0 0 0 0 0	
Innenzehner:	16	
weiteste:	926 (20), 829 (37), 744 (31)	
beste Teiler	47.3 (23.) 77.3 (14.) 79.0 (5.)	
Trefferlage	0.44 mm rechts, 0.04 mm tief	
Streuwert	2.65, horizontal: 2.91, vertikal: 2.36	




Serie 1:	10.2 *	10.2 *	8.6 →	9.7 ↘	10.6 *
	9.1 ↘	9.7 ←	9.6 ↗	9.2 ↑	9.9 ↑
beste Teiler	79.0 (5.)	184.2 (2.)	190.2 (1.)		
Trefferlage	0.29 mm rechts, 0.28 mm tief				
Streuwert	2.59, horizontal: 2.64, vertikal: 2.54				




Serie 2:	10.0 ↗	9.4 ←	10.5 *	10.6 *	10.1 →
	10.2 *	8.5 ↘	8.9 →	9.8 ←	7.2 →
beste Teiler	77.3 (14.)	110.6 (13.)	181.0 (16.)		
Trefferlage	0.70 mm rechts, 0.41 mm hoch				
Streuwert	3.18, horizontal: 4.21, vertikal: 1.60				




Serie 3:	10.1 ↖	10.0 ↓	10.8 *	9.8 →	9.2 ↘
	9.9 ↘	10.6 *	9.5 →	9.9 →	10.1 ↑
beste Teiler	47.3 (23.)	83.5 (27.)	210.7 (30.)		
Trefferlage	0.96 mm rechts, 0.62 mm tief				
Streuwert	1.80, horizontal: 1.79, vertikal: 1.82				



Serie 4:	8.0 →	10.0 ↘	9.4 ↘	10.5 *	9.5 ↘
	9.8 ↓	7.6 ↑	9.8 ↘	10.3 *	8.8 ↘
beste Teiler	112.0 (34.)	161.9 (39.)	248.3 (32.)		
Trefferlage	1.72 mm rechts, 1.04 mm tief				
Streuwert	3.06, horizontal: 2.45, vertikal: 3.57				





Serie 5:	9.9 ↖	8.7 ↘	9.9 ↑	10.0 ↖	10.3 *
	10.5 *	10.5 *	10.6 *	8.1 ←	10.4 *
beste Teiler	91.5 (48.)	105.3 (47.)	113.1 (46.)		
Trefferlage	0.98 mm links, 0.15 mm tief				
Streuwert	2.36, horizontal: 2.69, vertikal: 1.97				




Serie 6:	9.2 ↖	9.9 ↗	10.1 ↓	9.4 ←	10.2 *
	9.4 ↗	9.6 →	8.8 ↖	8.9 ↗	10.0 ←
beste Teiler	187.5 (55.)	222.1 (53.)	235.1 (60.)		
Trefferlage	0.05 mm links, 1.39 mm hoch				
Streuwert	2.56, horizontal: 3.12, vertikal: 1.84				


Ergebnis: **338.8** (321)
 Serien: 74.4 90.7 86.6 87.1
 Zähler: 5 10 15 6 1 2 0 1 0 0
 Innenzehner: 3
 weiteste: 1993 (1), 1332 (25), 1289 (3)
 beste Teiler 55.3 (21.) 105.6 (38.) 195.4 (13.)
 Trefferlage 1.60 mm rechts, 1.70 mm hoch
 Streuwert 4.86, horizontal: 5.07, vertikal: 4.64




Serie 1:
 3.0 ↘ 9.4 ↘ 5.8 ↗ 8.7 → 9.4 ↑
 6.8 ↗ 7.5 ↘ 8.6 ↗ 8.2 ↖ 7.0 ↘
 beste Teiler 376.0 (2.) 387.5 (5.) 557.3 (4.)
 Trefferlage 2.64 mm rechts, 3.35 mm hoch
 Streuwert 6.69, horizontal: 6.02, vertikal: 7.30



Serie 2:
 8.9 ↗ 9.8 ← 10.2 * 8.4 ↑ 8.6 ←
 7.9 ↘ 9.7 ↓ 8.7 ↖ 9.6 ↘ 8.9 ↘
 beste Teiler 195.4 (13.) 280.3 (12.) 307.2 (17.)
 Trefferlage 1.32 mm links, 1.52 mm hoch
 Streuwert 3.42, horizontal: 2.91, vertikal: 3.86





Serie 3:
 10.7 * 9.0 ↘ 10.0 ↗ 8.2 ↘ 5.6 →
 10.0 ↗ 9.7 ↘ 7.5 → 7.9 ↗ 8.0 ↘
 beste Teiler 55.3 (21.) 233.3 (26.) 246.5 (23.)
 Trefferlage 3.90 mm rechts, 0.45 mm hoch
 Streuwert 4.12, horizontal: 5.03, vertikal: 2.94




Serie 4:
 8.8 ↖ 9.1 → 8.0 ↘ 8.0 ← 8.4 →
 8.4 ↑ 7.2 → 10.5 * 9.4 ↖ 9.3 ↘
 beste Teiler 105.6 (38.) 386.7 (39.) 425.6 (40.)
 Trefferlage 1.20 mm rechts, 1.48 mm hoch
 Streuwert 4.27, horizontal: 4.97, vertikal: 3.42


Ergebnis: **414.0** (394)
 Serien: 103.1 102.5 104.4 104.0
 Zähler: 34 6 0 0 0 0 0 0 0 0
 Innenzehner: 29
 weiteste: 325 (22), 305 (20), 291 (13)
 beste Teiler 28.4 (11.) 40.1 (37.) 42.9 (25.)
 Trefferlage 0.46 mm links, 0.11 mm tief
 Streuwert 1.17, horizontal: 1.31, vertikal: 1.02




Serie 1:
 10.3 * 10.3 * 9.8 ↘ 10.0 ↓ 10.4 *
 10.6 * 10.4 * 10.5 * 10.2 * 10.6 *
 beste Teiler 77.4 (10.) 78.0 (6.) 102.0 (8.)
 Trefferlage 0.17 mm links, 0.73 mm tief
 Streuwert 1.12, horizontal: 1.28, vertikal: 0.94



Serie 2:
 10.8 * 10.7 * 9.8 ↙ 10.1 → 10.4 *
 10.3 * 10.3 * 10.5 * 9.9 ← 9.7 ↘
 beste Teiler 28.4 (11.) 53.8 (12.) 103.0 (18.)
 Trefferlage 0.14 mm links, 0.29 mm tief
 Streuwert 1.44, horizontal: 1.69, vertikal: 1.14





Serie 3:
 10.7 * 9.7 ↙ 10.8 * 10.4 * 10.8 *
 10.2 * 10.1 ↘ 10.3 * 10.7 * 10.7 *
 beste Teiler 42.9 (25.) 43.0 (23.) 56.5 (29.)
 Trefferlage 0.76 mm links, 0.08 mm hoch
 Streuwert 1.00, horizontal: 1.11, vertikal: 0.88




Serie 4:
 10.0 ↘ 10.0 ← 10.8 * 10.4 * 10.6 *
 10.4 * 10.8 * 10.6 * 9.9 ← 10.5 *
 beste Teiler 40.1 (37.) 45.6 (33.) 82.0 (35.)
 Trefferlage 0.75 mm links, 0.46 mm hoch
 Streuwert 0.99, horizontal: 1.13, vertikal: 0.82


Ergebnis: **395.3** (379)
 Serien: 97.2 98.3 100.3 99.5
 Zähler: 20 19 1 0 0 0 0 0 0
 Innenzehner: 15
 weiteste: 707 (38), 480 (2), 472 (21)
 beste Teiler 11.1 (39.) 75.0 (26.) 75.5 (30.)
 Trefferlage 0.06 mm links, 0.36 mm hoch
 Streuwert 2.16, horizontal: 2.49, vertikal: 1.76




Serie 1:
 10.4 * 9.0 ↘ 9.6 ➤ 10.0 ➤ 10.0 ↑
 9.6 ↑ 9.2 ↑ 9.2 ↘ 10.2 * 10.0 ↑
 beste Teiler 127.1 (1.) 198.2 (9.) 228.8 (4.)
 Trefferlage 0.37 mm links, 1.82 mm hoch
 Streuwert 2.02, horizontal: 2.18, vertikal: 1.85



Serie 2:
 10.2 * 10.2 * 9.8 ← 9.6 ← 9.7 ←
 9.9 ➔ 10.4 * 9.8 ➔ 9.4 ↗ 9.3 ➤
 beste Teiler 139.2 (17.) 183.3 (12.) 196.5 (11.)
 Trefferlage 0.39 mm rechts, 0.05 mm tief
 Streuwert 2.17, horizontal: 2.88, vertikal: 1.06





Serie 3:
 9.1 ↘ 10.3 * 9.5 ↓ 10.6 * 10.2 *
 10.7 * 10.4 * 9.3 ← 9.5 ➔ 10.7 *
 beste Teiler 75.0 (26.) 75.5 (30.) 92.1 (24.)
 Trefferlage 0.44 mm links, 0.24 mm tief
 Streuwert 2.01, horizontal: 2.42, vertikal: 1.51




Serie 4:
 9.6 ↖ 9.6 ↙ 10.0 ← 9.8 ➤ 10.4 *
 10.5 * 10.6 * 8.1 ➔ 10.9 * 10.0 ↖
 beste Teiler 11.1 (39.) 84.0 (37.) 123.8 (36.)
 Trefferlage 0.15 mm rechts, 0.07 mm tief
 Streuwert 2.32, horizontal: 2.73, vertikal: 1.82


Ergebnis: **394.3** (377)
 Serien: 99.0 100.7 96.0 98.6
 Zähler: 22 14 3 1 0 0 0 0 0 0
 Innenzehner: 14
 weiteste: 860 (6), 553 (32), 534 (29)
 beste Teiler 46.0 (1.) 60.1 (38.) 92.6 (8.)
 Trefferlage 0.33 mm rechts, 0.80 mm hoch
 Streuwert 2.19, horizontal: 2.58, vertikal: 1.72




Serie 1:
 10.8 * 10.4 * 10.4 * 9.4 ↘ 10.0 ↑
 7.5 ← 9.8 ↑ 10.6 * 10.0 → 10.1 ↑
 beste Teiler 46.0 (1.) 92.6 (8.) 128.2 (2.)
 Trefferlage 0.21 mm links, 0.70 mm hoch
 Streuwert 2.50, horizontal: 2.94, vertikal: 1.95



Serie 2:
 9.0 → 10.3 * 10.4 * 10.4 * 10.1 ↑
 9.8 ↘ 10.6 * 9.8 → 10.3 * 10.0 →
 beste Teiler 96.7 (17.) 126.0 (14.) 126.5 (13.)
 Trefferlage 1.08 mm rechts, 0.81 mm hoch
 Streuwert 1.52, horizontal: 1.82, vertikal: 1.14





Serie 3:
 9.3 ↘ 10.0 ← 10.1 ↑ 9.4 ← 9.9 ↘
 9.8 ↑ 9.1 ← 9.3 ↘ 8.8 ↘ 10.3 *
 beste Teiler 155.5 (30.) 213.2 (23.) 231.6 (22.)
 Trefferlage 1.11 mm links, 1.08 mm hoch
 Streuwert 2.41, horizontal: 2.55, vertikal: 2.27




Serie 4:
 10.4 * 8.7 → 9.5 → 10.5 * 9.9 ↘
 10.2 * 8.9 → 10.7 * 10.0 → 9.8 ↑
 beste Teiler 60.1 (38.) 118.3 (34.) 145.3 (31.)
 Trefferlage 1.58 mm rechts, 0.63 mm hoch
 Streuwert 1.96, horizontal: 2.30, vertikal: 1.54


Ergebnis: **398.6** (379)
 Serien: 99.2 99.4 99.8 100.2
 Zähler: 21 17 2 0 0 0 0 0 0 0
 Innenzehner: 17
 weiteste: 563 (8), 551 (13), 482 (24)
 beste Teiler 17.0 (39.) 23.3 (19.) 30.0 (9.)
 Trefferlage 0.30 mm rechts, 0.34 mm tief
 Streuwert 2.04, horizontal: 2.39, vertikal: 1.62




Serie 1:
 10.2 * 10.7 * 10.6 * 10.6 * 9.7 ←
 9.4 ↘ 9.4 ↓ 8.7 ↘ 10.8 * 9.1 ↘
 beste Teiler 30.0 (9.) 64.0 (2.) 78.7 (3.)
 Trefferlage 0.69 mm rechts, 1.36 mm tief
 Streuwert 2.04, horizontal: 2.24, vertikal: 1.81



Serie 2:
 10.6 * 9.8 ↘ 8.7 → 10.7 * 10.1 ↖
 10.6 * 9.2 → 9.0 ← 10.9 * 9.8 ↘
 beste Teiler 23.3 (19.) 66.5 (14.) 76.9 (11.)
 Trefferlage 0.81 mm rechts, 0.03 mm tief
 Streuwert 2.21, horizontal: 2.84, vertikal: 1.31





Serie 3:
 10.5 * 9.8 ↘ 9.7 ↗ 9.0 ↘ 10.3 *
 10.3 * 9.8 ← 10.7 * 10.1 ↙ 9.6 ↘
 beste Teiler 72.0 (28.) 107.0 (21.) 153.0 (25.)
 Trefferlage 0.17 mm links, 0.26 mm hoch
 Streuwert 2.00, horizontal: 2.09, vertikal: 1.91




Serie 4:
 10.0 ↙ 10.2 * 10.4 * 10.2 * 10.1 ↙
 9.7 ← 9.5 → 9.7 ↘ 10.9 * 9.5 →
 beste Teiler 17.0 (39.) 138.1 (33.) 194.1 (34.)
 Trefferlage 0.11 mm links, 0.22 mm tief
 Streuwert 1.91, horizontal: 2.51, vertikal: 0.99


Ergebnis: **403.5** (385)
 Serien: 99.1 101.1 102.2 101.1
 Zähler: 26 13 1 0 0 0 0 0 0
 Innenzehner: 20
 weiteste: 544 (34), 410 (5), 402 (13)
 beste Teiler 15.8 (20.) 30.6 (29.) 52.4 (24.)
 Trefferlage 0.28 mm links, 0.27 mm hoch
 Streuwert 1.73, horizontal: 2.05, vertikal: 1.33




Serie 1:
 9.9 → 9.8 → 9.6 ← 9.7 ↘ 9.3 ↘
 10.2 * 10.1 ← 10.0 ↘ 10.5 * 10.0 ↖
 beste Teiler 110.6 (9.) 199.0 (6.) 212.2 (7.)
 Trefferlage 0.09 mm rechts, 0.35 mm tief
 Streuwert 2.01, horizontal: 2.30, vertikal: 1.68



Serie 2:
 9.9 ↗ 10.5 * 9.3 ↘ 10.1 ↗ 10.0 ↖
 10.4 * 10.6 * 9.6 ↗ 9.8 ↖ 10.9 *
 beste Teiler 15.8 (20.) 76.6 (17.) 108.9 (12.)
 Trefferlage 0.77 mm links, 0.79 mm hoch
 Streuwert 1.56, horizontal: 1.88, vertikal: 1.16





Serie 3:
 9.5 → 10.3 * 10.4 * 10.7 * 10.5 *
 9.4 ↘ 10.6 * 9.7 ← 10.8 * 10.3 *
 beste Teiler 30.6 (29.) 52.4 (24.) 84.4 (27.)
 Trefferlage 0.37 mm links, 0.22 mm hoch
 Streuwert 1.60, horizontal: 2.04, vertikal: 0.97




Serie 4:
 10.2 * 10.7 * 10.6 * 8.8 ↘ 10.1 ↗
 10.3 * 9.7 → 10.2 * 10.2 * 10.3 *
 beste Teiler 54.6 (32.) 84.8 (33.) 158.3 (40.)
 Trefferlage 0.06 mm links, 0.43 mm hoch
 Streuwert 1.81, horizontal: 2.19, vertikal: 1.33


Ergebnis: **622.6** (596)
 Serien: 103.7 103.4 103.1 102.1 104.2 106.1
 Zähler: 56 4 0 0 0 0 0 0 0
 Innenzehner: 44
 weiteste: 293 (47), 285 (38), 279 (40)
 beste Teiler 5.8 (17.) 20.0 (56.) 34.5 (55.)
 Trefferlage 0.16 mm links, 0.09 mm tief
 Streuwert 1.14, horizontal: 1.06, vertikal: 1.22




Serie 1:
 10.5 * 10.0 ← 10.5 * 10.5 * 10.3 *
 10.4 * 10.6 * 10.5 * 10.4 * 10.0 ↙
 beste Teiler 78.7 (7.) 108.4 (1.) 110.4 (8.)
 Trefferlage 0.43 mm links, 0.20 mm tief
 Streuwert 1.09, horizontal: 0.90, vertikal: 1.26




Serie 2:
 10.0 ↘ 10.5 * 10.1 ← 10.6 * 10.1 ↘
 10.2 * 10.9 * 10.1 ↘ 10.2 * 10.7 *
 beste Teiler 5.8 (17.) 64.0 (20.) 91.8 (14.)
 Trefferlage 0.34 mm links, 0.07 mm hoch
 Streuwert 1.28, horizontal: 1.31, vertikal: 1.25




Serie 3:
 10.3 * 10.2 * 10.2 * 10.5 * 10.1 ↘
 10.4 * 10.4 * 10.3 * 10.1 ↑ 10.6 *
 beste Teiler 93.2 (30.) 109.1 (24.) 127.7 (27.)
 Trefferlage 0.07 mm rechts, 0.62 mm hoch
 Streuwert 1.11, horizontal: 1.23, vertikal: 0.98



Serie 4:
 10.8 * 9.9 ↑ 10.6 * 10.4 * 10.1 ↘
 10.1 ↙ 10.0 ↙ 9.8 ← 10.6 * 9.8 ↘
 beste Teiler 42.5 (31.) 96.3 (33.) 97.6 (39.)
 Trefferlage 0.31 mm links, 0.53 mm tief
 Streuwert 1.44, horizontal: 1.28, vertikal: 1.59





Serie 5:
 10.3 * 10.8 * 10.6 * 10.4 * 10.4 *
 10.3 * 9.8 ↘ 10.6 * 10.5 * 10.5 *
 beste Teiler 40.3 (42.) 82.3 (43.) 86.4 (48.)
 Trefferlage 0.18 mm links, 0.59 mm tief
 Streuwert 1.01, horizontal: 0.98, vertikal: 1.04



Serie 6:
 10.3 * 10.7 * 10.7 * 10.6 * 10.8 *
 10.9 * 10.1 ↘ 10.8 * 10.5 * 10.7 *
 beste Teiler 20.0 (56.) 34.5 (55.) 46.4 (58.)
 Trefferlage 0.19 mm rechts, 0.05 mm hoch
 Streuwert 0.77, horizontal: 0.61, vertikal: 0.90


Meyton Elektronik
 ID: CC080801 – Seite: 1

Ergebnis:	625.5	(593)
Serien:	102.7	104.2 106.2 104.7 103.2 104.5
Zähler:	53	7 0 0 0 0 0 0 0 0
Innenzehner:	50	
weiteste:	358 (49), 305 (54), 269 (18)	
beste Teiler	2.0 (16.)	2.8 (22.) 9.8 (52.)
Trefferlage	0.45 mm	rechts, 0.11 mm tief
Streuwert	1.04,	horizontal: 1.22, vertikal: 0.82




Serie 1:

10.2 *	9.9 →	10.7 *	9.9 →	10.2 *
10.0 →	10.4 *	10.6 *	10.4 *	10.4 *
beste Teiler	55.0 (3.)	85.5 (8.)	139.3 (9.)	
Trefferlage	0.94 mm rechts, 0.11 mm hoch			
Streuwert	1.17, horizontal: 1.41, vertikal: 0.86			




Serie 2:

10.1 →	10.4 *	10.3 *	10.5 *	10.4 *
10.9 *	10.7 *	9.9 ↘	10.3 *	10.7 *
beste Teiler	2.0 (16.)	62.1 (17.)	75.1 (20.)	
Trefferlage	0.69 mm rechts, 0.47 mm tief			
Streuwert	0.94, horizontal: 1.03, vertikal: 0.84			




Serie 3:

10.6 *	10.9 *	10.6 *	10.6 *	10.6 *
10.8 *	10.5 *	10.5 *	10.7 *	10.4 *
beste Teiler	2.8 (22.)	39.0 (26.)	71.8 (29.)	
Trefferlage	0.03 mm rechts, 0.29 mm tief			
Streuwert	0.63, horizontal: 0.57, vertikal: 0.69			




Serie 4:

10.7 *	9.9 →	10.8 *	10.2 *	10.6 *
10.8 *	10.4 *	10.3 *	10.4 *	10.6 *
beste Teiler	35.8 (33.)	47.7 (36.)	57.4 (31.)	
Trefferlage	0.32 mm rechts, 0.27 mm hoch			
Streuwert	0.97, horizontal: 1.17, vertikal: 0.73			



Serie 5:

10.2 *	10.8 *	10.6 *	10.7 *	10.2 *
10.7 *	10.3 *	10.2 *	9.5 →	10.0 ↘
beste Teiler	36.3 (42.)	66.6 (44.)	66.7 (46.)	
Trefferlage	0.64 mm rechts, 0.07 mm hoch			
Streuwert	1.28, horizontal: 1.44, vertikal: 1.08			





Serie 6:


10.6 *	10.9 *	10.3 *	9.7 →	10.8 *
10.4 *	10.5 *	10.5 *	10.9 *	9.9 ←
beste Teiler	9.8 (52.)	20.0 (59.)	49.3 (55.)	
Trefferlage	0.11 mm rechts, 0.40 mm tief			
Streuwert	1.11, horizontal: 1.49, vertikal: 0.49			

Meyton Elektronik


Ergebnis:	608.6	(583)
Serien:	101.5 99.3 99.8 102.8 104.1 101.1	
Zähler:	43 17 0 0 0 0 0 0 0	
Innenzehner:	30	
weiteste:	425 (22), 416 (9), 409 (29)	
beste Teiler	16.6 (44.) 17.0 (34.) 31.4 (37.)	
Trefferlage	0.03 mm rechts, 0.40 mm hoch	
Streuwert	1.59, horizontal: 1.80, vertikal: 1.35	




Serie 1:	10.4 *	10.1 →	10.2 *	10.6 *	10.7 *
	10.0 ↑	10.5 *	9.8 ↗	9.3 ↘	9.9 ↑
beste Teiler	59.3 (5.) 98.6 (4.) 110.0 (7.)				
Trefferlage	1.01 mm rechts, 0.64 mm hoch				
Streuwert	1.43, horizontal: 1.35, vertikal: 1.51				




Serie 2:	10.5 *	10.2 *	10.4 *	9.8 ←	9.9 ↗
	9.9 ↙	9.5 →	10.0 ↙	9.5 →	9.6 ↘
beste Teiler	124.4 (11.) 144.5 (13.) 184.5 (12.)				
Trefferlage	0.17 mm links, 0.18 mm tief				
Streuwert	2.00, horizontal: 2.55, vertikal: 1.22				




Serie 3:	10.4 *	9.3 ↘	10.2 *	9.6 →	10.5 *
	10.0 ↗	10.5 *	10.0 ↘	9.3 →	10.0 ↑
beste Teiler	107.3 (27.) 124.5 (25.) 137.8 (21.)				
Trefferlage	0.32 mm rechts, 0.95 mm hoch				
Streuwert	1.86, horizontal: 2.25, vertikal: 1.36				



Serie 4:	10.0 ↘	9.8 ↘	10.2 *	10.9 *	10.2 *
	10.2 *	10.8 *	10.8 *	10.1 ↑	9.8 ↘
beste Teiler	17.0 (34.) 31.4 (37.) 45.0 (38.)				
Trefferlage	0.39 mm links, 0.38 mm hoch				
Streuwert	1.35, horizontal: 1.41, vertikal: 1.30				



Serie 5:	10.8 *	10.3 *	10.3 *	10.9 *	10.1 →
	10.8 *	10.0 ↑	10.2 *	10.4 *	10.3 *
beste Teiler	16.6 (44.) 42.0 (46.) 43.6 (41.)				
Trefferlage	0.25 mm rechts, 0.10 mm tief				
Streuwert	1.12, horizontal: 1.05, vertikal: 1.18				



Serie 6:	10.1 ↑	10.2 *	10.1 ↘	9.7 ↑	10.7 *
	10.7 *	9.9 ←	10.1 ↓	9.4 ←	10.2 *
beste Teiler	66.0 (56.) 70.0 (55.) 189.4 (60.)				
Trefferlage	0.80 mm links, 0.71 mm hoch				
Streuwert	1.53, horizontal: 1.59, vertikal: 1.47				

Meyton Elektronik

Ergebnis: **601.8** (574)

Serien: 101.9 100.7 99.4 99.2 100.3 100.3

Zähler: 35 24 1 0 0 0 0 0 0 0



Innenzehner: 30

weiteste: 613 (35), 500 (29), 492 (44)

beste Teiler 38.4 (8.) 40.4 (10.) 43.0 (52.)

Trefferlage 0.16 mm links, 0.06 mm hoch

Streuwert 1.87, horizontal: 2.26, vertikal: 1.38




Serie 1:

10.0 →	10.2 *	9.6 ↓	9.6 ↙	10.1 ↘
10.3 *	9.8 ↗	10.8 *	10.7 *	10.8 *

beste Teiler 38.4 (8.) 40.4 (10.) 62.1 (9.)

Trefferlage 0.17 mm links, 0.67 mm tief

Streuwert 1.52, horizontal: 1.67, vertikal: 1.36




Serie 2:

9.8 ↙	10.7 *	10.1 ↑	10.7 *	9.8 →
9.6 →	10.3 *	10.2 *	9.8 ↘	9.7 ↙

beste Teiler 63.0 (14.) 64.6 (12.) 167.8 (17.)

Trefferlage 0.72 mm rechts, 0.24 mm tief

Streuwert 1.71, horizontal: 2.11, vertikal: 1.18




Serie 3:

9.8 →	9.5 ↘	10.2 *	10.1 ↙	10.5 *
9.9 ↙	10.3 *	10.2 *	9.0 →	9.9 ↗

beste Teiler 113.1 (25.) 172.6 (27.) 176.0 (23.)

Trefferlage 0.17 mm rechts, 0.42 mm hoch

Streuwert 2.01, horizontal: 2.35, vertikal: 1.60




Serie 4:

10.4 *	10.2 *	10.3 *	9.7 ↘	8.5 ←
10.3 *	9.3 ↘	10.1 ↘	10.5 *	9.9 ↗

beste Teiler 121.6 (39.) 141.8 (31.) 164.0 (36.)

Trefferlage 1.36 mm links, 0.64 mm hoch

Streuwert 1.91, horizontal: 2.27, vertikal: 1.46




Serie 5:

10.6 *	9.7 ↗	10.4 *	9.0 ↙	10.4 *
9.4 ↙	10.5 *	10.4 *	9.7 ↙	10.2 *

beste Teiler 76.3 (41.) 115.8 (47.) 127.3 (43.)

Trefferlage 1.24 mm links, 0.03 mm tief

Streuwert 1.75, horizontal: 2.10, vertikal: 1.30



Serie 6:

9.7 ↘	10.8 *	10.5 *	10.3 *	9.4 →
10.2 *	9.1 →	10.3 *	10.6 *	9.4 →



beste Teiler 43.0 (52.) 89.0 (59.) 116.9 (53.)

Trefferlage 0.91 mm rechts, 0.28 mm hoch

Streuwert 1.93, horizontal: 2.42, vertikal: 1.25


Meyton Elektronik

Ergebnis:	562.8	(541)
Serien:	89.6 99.1 89.3 95.1 95.2 94.5	
Zähler:	18 30 7 5 0 0 0 0 0 0	
Innenzehner:	10	
weiteste:	961 (3), 957 (29), 865 (45)	
beste Teiler	42.9 (12.) 71.0 (47.) 74.0 (8.)	
Trefferlage	0.10 mm links, 1.54 mm hoch	
Streuwert	3.02, horizontal: 3.78, vertikal: 1.99	




Serie 1:

10.1 ↑	8.7 ↘	7.1 ↗	9.3 ←	10.3 *
8.4 ↘	9.1 ↙	10.7 *	7.7 ↖	8.2 ↗
beste Teiler	74.0 (8.)	154.7 (5.)	206.4 (1.)	
Trefferlage	1.11 mm rechts, 0.99 mm hoch			
Streuwert	4.09, horizontal: 4.88, vertikal: 3.09			




Serie 2:

10.6 *	10.8 *	10.1 ↖	10.1 ↙	7.9 →
9.9 →	10.0 ↑	10.5 *	9.2 ↙	10.0 ↗
beste Teiler	42.9 (12.)	91.6 (11.)	120.8 (18.)	
Trefferlage	0.54 mm rechts, 1.32 mm hoch			
Streuwert	2.20, horizontal: 2.85, vertikal: 1.27			




Serie 3:

9.1 ↗	9.4 →	9.7 ↗	9.0 →	10.1 ↗
8.2 ↙	8.3 ↗	9.3 ↖	7.1 ←	9.1 →
beste Teiler	208.9 (25.)	318.7 (23.)	393.5 (22.)	
Trefferlage	0.92 mm rechts, 1.64 mm hoch			
Streuwert	3.79, horizontal: 4.85, vertikal: 2.28			




Serie 4:

9.6 ↖	9.6 ↖	9.1 ↗	9.8 ←	10.3 *
9.8 ↑	8.2 ↖	9.6 ↑	9.0 ↖	10.1 ↖
beste Teiler	155.5 (35.)	220.2 (40.)	296.9 (36.)	
Trefferlage	1.66 mm links, 2.37 mm hoch			
Streuwert	1.98, horizontal: 2.48, vertikal: 1.31			



Serie 5:

9.3 ←	9.4 ↑	10.3 *	9.3 ↖	7.5 →
9.8 →	10.7 *	9.4 ↘	10.4 *	9.1 ←
beste Teiler	71.0 (47.)	144.3 (49.)	151.1 (43.)	
Trefferlage	0.47 mm rechts, 0.73 mm hoch			
Streuwert	3.03, horizontal: 3.89, vertikal: 1.82			





Serie 6:


9.2 ↑	10.6 *	8.0 ←	9.6 ↖	9.5 ↖
9.0 ↗	9.8 ↖	10.0 ↖	9.6 ↖	9.2 ↖
beste Teiler	92.4 (52.)	229.4 (58.)	289.4 (57.)	
Trefferlage	2.05 mm links, 2.20 mm hoch			
Streuwert	2.09, horizontal: 2.54, vertikal: 1.50			

Meyton Elektronik


Ergebnis: **394.2** (376)
 Serien: 97.0 102.0 95.5 99.7
 Zähler: 19 18 3 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 683 (30), 520 (23), 512 (36)
 beste Teiler 39.6 (5.) 49.0 (14.) 80.6 (39.)
 Trefferlage 0.28 mm links, 0.37 mm hoch
 Streuwert 2.17, horizontal: 2.71, vertikal: 1.44




Serie 1:
 9.2 ← 9.0 ← 10.0 → 9.4 ↗ 10.8 *
 9.2 ↘ 9.9 → 9.6 ↗ 9.8 ↘ 10.1 →
 beste Teiler 39.6 (5.) 208.0 (10.) 235.4 (3.)
 Trefferlage 0.33 mm links, 1.23 mm hoch
 Streuwert 2.31, horizontal: 3.01, vertikal: 1.28



Serie 2:
 9.5 ↖ 10.2 * 10.1 ↗ 10.8 * 10.5 *
 10.5 * 10.3 * 10.0 ← 10.3 * 9.8 ↘
 beste Teiler 49.0 (14.) 114.4 (15.) 120.4 (16.)
 Trefferlage 1.07 mm links, 0.74 mm hoch
 Streuwert 1.20, horizontal: 1.41, vertikal: 0.95





Serie 3:
 9.9 ↗ 9.5 ↘ 8.9 → 9.3 ↖ 9.7 ↘
 9.9 → 9.6 → 10.1 ← 10.4 * 8.2 ←
 beste Teiler 130.4 (29.) 224.9 (28.) 254.8 (21.)
 Trefferlage 0.74 mm rechts, 0.08 mm hoch
 Streuwert 2.77, horizontal: 3.73, vertikal: 1.19




Serie 4:
 10.3 * 9.6 ↙ 9.6 ↘ 9.7 ↖ 10.4 *
 8.9 ↘ 10.2 * 10.3 * 10.6 * 10.1 ↘
 beste Teiler 80.6 (39.) 149.4 (35.) 174.5 (31.)
 Trefferlage 0.48 mm links, 0.55 mm tief
 Streuwert 1.98, horizontal: 2.21, vertikal: 1.73


Ergebnis: **390.8** (372)
 Serien: 99.1 99.3 96.2 96.2
 Zähler: 19 15 5 1 0 0 0 0 0 0
 Innenzehner: 13
 weiteste: 881 (30), 686 (36), 609 (39)
 beste Teiler 41.8 (9.) 48.8 (6.) 61.2 (27.)
 Trefferlage 0.11 mm rechts, 1.24 mm hoch
 Streuwert 2.31, horizontal: 2.76, vertikal: 1.74




Serie 1:
 8.9 → 9.6 ↗ 9.9 → 9.5 ← 10.1 ↑
 10.8 * 10.4 * 9.9 ↘ 10.8 * 9.2 ↖
 beste Teiler 41.8 (9.) 48.8 (6.) 150.8 (7.)
 Trefferlage 0.39 mm links, 0.65 mm hoch
 Streuwert 2.17, horizontal: 2.66, vertikal: 1.54



Serie 2:
 10.4 * 10.2 * 9.6 ↗ 10.2 * 10.5 *
 9.5 ↘ 8.9 → 10.0 ← 10.1 ↗ 9.9 ↗
 beste Teiler 111.0 (15.) 129.2 (11.) 186.8 (14.)
 Trefferlage 1.05 mm rechts, 0.71 mm hoch
 Streuwert 1.87, horizontal: 2.07, vertikal: 1.65





Serie 3:
 8.6 ↑ 10.4 * 9.2 ↗ 9.7 ↑ 9.5 ↘
 10.3 * 10.7 * 10.0 ↘ 10.4 * 7.4 ↖
 beste Teiler 61.2 (27.) 133.1 (29.) 149.8 (22.)
 Trefferlage 0.59 mm links, 2.08 mm hoch
 Streuwert 2.59, horizontal: 2.96, vertikal: 2.14




Serie 4:
 10.0 ↘ 9.8 → 10.5 * 10.0 ↑ 10.3 *
 8.2 ↖ 9.6 → 9.7 ↘ 8.5 → 9.6 ↖
 beste Teiler 120.4 (33.) 159.8 (35.) 234.8 (31.)
 Trefferlage 0.39 mm rechts, 1.51 mm hoch
 Streuwert 2.54, horizontal: 3.32, vertikal: 1.36


Ergebnis: **604.9** (576)
 Serien: 100.3 100.7 102.6 100.2 101.3 99.8
 Zähler: 38 20 2 0 0 0 0 0 0
 Innenzehner: 33
 weiteste: 606 (33), 503 (8), 456 (46)
 beste Teiler 14.8 (44.) 18.0 (31.) 20.8 (2.)
 Trefferlage 0.34 mm rechts, 0.52 mm hoch
 Streuwert 1.77, horizontal: 2.04, vertikal: 1.44




Serie 1:
 10.0 → 10.9 * 9.7 → 10.4 * 10.5 *
 9.2 ↘ 10.2 * 8.9 ↗ 10.4 * 10.1 ↗
 beste Teiler 20.8 (2.) 101.4 (5.) 127.0 (4.)
 Trefferlage 0.86 mm rechts, 0.72 mm hoch
 Streuwert 1.81, horizontal: 2.11, vertikal: 1.47




Serie 2:
 10.1 → 10.3 * 9.4 ↗ 10.7 * 9.3 ↘
 9.8 → 10.7 * 9.9 ↑ 10.3 * 10.2 *
 beste Teiler 51.6 (17.) 75.4 (14.) 162.0 (12.)
 Trefferlage 0.44 mm rechts, 0.76 mm hoch
 Streuwert 1.75, horizontal: 1.90, vertikal: 1.58




Serie 3:
 9.4 ↑ 10.3 * 10.3 * 10.0 → 10.6 *
 10.3 * 10.0 → 10.5 * 10.6 * 10.6 *
 beste Teiler 76.1 (29.) 82.8 (30.) 97.0 (25.)
 Trefferlage 0.12 mm rechts, 0.91 mm hoch
 Streuwert 1.26, horizontal: 1.24, vertikal: 1.27



Serie 4:
 10.9 * 9.4 → 8.5 → 10.4 * 10.4 *
 9.5 → 10.5 * 10.7 * 10.5 * 9.4 ↘
 beste Teiler 18.0 (31.) 61.2 (38.) 105.4 (39.)
 Trefferlage 1.60 mm rechts, 0.24 mm hoch
 Streuwert 1.82, horizontal: 2.29, vertikal: 1.17



Serie 5:
 10.2 * 10.5 * 10.8 * 10.9 * 9.8 →
 9.1 → 10.5 * 9.4 ↗ 10.4 * 9.7 ↖
 beste Teiler 14.8 (44.) 42.6 (43.) 111.0 (42.)
 Trefferlage 0.55 mm rechts, 0.37 mm hoch
 Streuwert 1.76, horizontal: 2.27, vertikal: 1.04



Serie 6:
 10.3 * 9.5 ↓ 9.9 ↗ 10.2 * 9.9 ↘
 10.7 * 9.6 ↘ 10.7 * 9.2 ↘ 9.8 ←
 beste Teiler 61.7 (58.) 74.2 (56.) 156.6 (51.)
 Trefferlage 1.49 mm links, 0.14 mm hoch
 Streuwert 1.69, horizontal: 1.15, vertikal: 2.09

Meyton Elektronik